



2025-2026

## ENGLISH VERSION





**WELCOME TO THE**

# **SPJ**

# **ELECTRONICS**

---

**World with Latest Technology and Great Innovative Products.**





# Our Origins

**SPJ Electronics** embarked on its journey with a clear vision: to revolutionize the way people engage in their daily routines. Fueled by a commitment to innovation & a fervent desire to enhance lives, we set out to craft products that seamlessly integrate into modern lifestyles. From intelligent kitchen solutions to captivating entertainment systems, each creation bears the distinctive mark of SPJ's relentless pursuit of excellence.

## A Milestone in Africa

**Our narrative** took a significant turn with the establishment of **our first corporate office in Madagascar**. The enthusiastic reception & unwavering support from the local community affirmed our belief in the transformative potential of our offerings. This milestone marked the inception of our global odyssey, as we endeavored to extend our reach to households across continents, enriching lives along the way.

## Our Worldwide Reach

As our brand continues to flourish, we are proud to have established a strong presence in key regions, with our own stores located in the **UAE, Angola, Zambia, Uganda, Mozambique, Madagascar, and Zimbabwe**. These strategic locations allow us to directly connect with our customers, ensuring we share our vision and values with an ever-growing audience.

In addition to our own stores, we have expanded our footprint across other countries, including **Ivory Coast, Cameroon, Conakry, Tanzania, Gabon, Congo, Ethiopia, Rwanda, Senegal, Benin, Democratic Republic of Congo, Morocco, Mali, Guinea, Iran, Maldives, Somalia, Djibouti, Nigeria, South Sudan, Ghana, and Gambia**. Our global presence continues to grow, enabling us to make a meaningful impact in diverse cultures and environments.

This expansive network strengthens our ability to connect with a broad audience, providing them with access to our products and values across various regions.

## Our Trusted Distributor Network

SPJ goes global! Reach The SPJ products anywhere with our dedicated **Angola, Benin, Cameroon, Congo, Democratic Republic of Congo, Ethiopia, Guinea, Ivory Coast, Madagascar, Maldives, Mozambique, Nigeria, Rwanda, Senegal, Tanzania, Uganda, United Arab Emirates, Zambia, Zimbabwe**. bring you the SPJ experience. For specific needs or your nearest distributor, contact The SPJ directly.



# Quality Matters

Step into our meticulously curated collection of home appliances, where quality isn't merely a feature – it's a commitment. At SPJ, we recognize the pivotal role appliances play in enriching your everyday life. From the heart of the kitchen to the sanctuary of the laundry room, we've handpicked appliances that seamlessly blend functionality with enduring durability, guaranteeing a home that operates seamlessly while radiating sophistication and flair.

“Quality defines **Our Appliances**,  
guaranteeing excellence in every detail”

At the core of our home appliances company lies a simple yet **Profound principle: quality is the king**. Quality isn't just a buzzword for us; it's the guiding force behind everything we do. From the materials we source to the design process & the final product, excellence is our constant pursuit. We believe that every home deserves appliances that not only function flawlessly but also endure the test of time. With our commitment to quality, you can trust that our appliances will elevate your living experience, making every moment in your home more enjoyable and effortless. Each appliance we offer is meticulously crafted to not only meet but exceed the expectations of our customers, ensuring that every household entrusted with our products experiences seamless operation and unparalleled satisfaction. **Quality isn't just a feature; it's the very foundation upon which our brand is built, ensuring that our appliances stand the test of time and deliver exceptional performance for years to come.**







# Contents

AIR CONDITIONER (A.C.)	01
AUTOMATIC VOLTAGE REGULATOR (A.V.R)	18
CHEST FREEZER	22
FREE STANDING COOKER	30
IRON	43
LED	48
MICROWAVE & ELECTRIC OVEN	60
REFRIGERATOR	66
SHOWCASE CHILLER	77
SMALL KITCHEN APPLIANCES	81
AIR FRYER	82
JUICER   BLENDER   CHOPPER	85
COFFEE MAKER	94
ELECTRIC KETTLE	96
GAS STOVE	101
COOKER	103
SOUND BAR & SPEAKER	106
STANDING FAN	111
UPRIGHT DEEP FREEZER	116
VACUUM CLEANER	119
WASHING MACHINE	122
WATER DISPENSER	129
WATER HEATER	132







# AIR CONDITIONER

Step into the future of home comfort with SPJ's stylish and innovative air conditioner. Designed with a focus on both functionality and aesthetics, our trendy units blend seamlessly into any modern living space, adding a touch of sophistication while keeping you Cool and Comfortable.



## MULTIPLE OPERATING MODES



Including cooling mode for hot weather, heating mode for cold weather (in heat pump systems), fan-only mode for air circulation, & dehumidification mode for reducing indoor humidity.

## ADJUSTABLE THERMOSTAT




Allows you to set and control the desired temperature for your indoor environment.

## EASY INSTALLATION



Streamlined setup for effortless installation, eliminating complexity for a hassle-free experience.

## AUTO MODE



Automatically adjusts fan speed and temperature settings based on the room's current conditions, optimizing energy efficiency and comfort.

## QUIET OPERATION



Utilizes noise-reducing technologies to minimize operational noise, ensuring a quieter indoor environment.

## ENERGY-SAVING FEATURES



Including cooling mode for hot weather, heating mode for cold weather (in heat pump systems), fan-only mode for air circulation, & dehumidification mode for reducing indoor humidity.



# T1 HOT & COOL SPLIT A.C.

## ACSWTS-9KRI005/ ACSWTS-9KRO005

### Specifications

Type	Heating pump
Rated cooling capacity	9000 Btu/h
Rated heating capacity	9500 Btu/h
Product {in/out} (WxDxH)	698x255x190/ 712x276x459 mm
Packaging {in/out} (WxDxH)	764x325x257/ 765x310x481 mm
Net weight (in/out)	6kg/ 22.5kg
Gross weight (in/out)	8kg/ 25.5kg
Loading Qty 40'HQ	370



### Features



## ACSWTS-12KRI006/ ACSWTS-12KRO006

### Specifications

Type	Heating pump
Rated cooling capacity	12000 Btu/h
Rated heating capacity	12500 Btu/h
Product {in/out} (WxDxH)	776x250x201/ 777x290x498 mm
Packaging {in/out} (WxDxH)	840x315x260/ 818x325x520 mm
Net weight (in/out)	6.3kg/ 28kg
Gross weight (in/out)	8.3kg/ 31kg
Loading Qty 40'HQ	312



### Features





# T1 HOT & COOL SPLIT A.C.

## ACSWTS-18KRI007/ ACSWTS-18KRO007

### Specifications

Type	Heating pump
Rated cooling capacity	18000 Btu/h
Rated heating capacity	18500 Btu/h
Product {in/out} (WxDxH)	910x294x206/ 795x305x549 mm
Packaging {in/out} (WxDxH)	979x372x277/ 835x340x585 mm
Net weight (in/out)	10kg/ 30kg
Gross weight (in/out)	13kg/ 33kg
Loading Qty 40'HQ	245



### Features



## ACSWTS-24KRI008/ ACSWTS-24KRO008

### Specifications

Type	Heating pump
Rated cooling capacity	24000 Btu/h
Rated heating capacity	24000 Btu/h
Product {in/out} (WxDxH)	1010x315x220/ 863x349x602 mm
Packaging {in/out} (WxDxH)	1096x390x312/ 890x385x628 mm
Net weight (in/out)	12kg/ 35kg
Gross weight (in/out)	15kg/ 40kg
Loading Qty 40'HQ	190



### Features





# COOLING ONLY SPLIT A.C.

## ACSWTS-9KCI005/ ACSWTS-9KCO005

### Specifications

Type	Cooling only
Rated cooling capacity	9000 Btu/h
Rated power Input	820 w
Product {in/out} (WxDxH)	698x255x190/ 712x276x459 mm
Packaging {in/out} (WxDxH)	764x325x257/ 765x310x481 mm
Net weight (in/out)	6kg/ 22.5kg
Gross weight (in/out)	8kg/ 25.5kg
Loading Qty 40'HQ	370



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display



Low Noise Design



On/off Timer



Eco-friendly Refrigerant R410A



Easy Installation



Powerful Compressor T1

## ACSWTS-12KCI006/ ACSWTS-12KCO006

### Specifications

Type	Cooling only
Rated cooling capacity	12000 Btu/h
Rated power Input	1110 w
Product {in/out} (WxDxH)	776x250x202/ 777x290x498 mm
Packaging {in/out} (WxDxH)	840x315x260/ 818x325x520 mm
Net weight (in/out)	6.3kg/ 28kg
Gross weight (in/out)	8.3kg/ 31kg
Loading Qty 40'HQ	312



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display



Low Noise Design



On/off Timer



Eco-friendly Refrigerant R410A



Easy Installation



Powerful Compressor T1

## ACSWTS-18KCI007/ ACSWTS-18KCO007

### Specifications

Type	Cooling only
Rated cooling capacity	18000 Btu/h
Rated power Input	1615 w
Product {in/out} (WxDxH)	910x294x206/ 795x305x549 mm
Packaging {in/out} (WxDxH)	979x372x277/ 835x340x585 mm
Net weight (in/out)	10kg/ 30kg
Gross weight (in/out)	13kg/ 33kg
Loading Qty 40'HQ	245



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display



Low Noise Design



On/off Timer



Eco-friendly Refrigerant R410A



Easy Installation



Powerful Compressor T1



# COOLING ONLY SPLIT A.C.

ACSWTS-24KCI008 / ACSWTS-24KCO008

### Specifications

Type	Cooling only
Rated cooling capacity	24000 Btu/h
Rated power Input	2033 w
Product {in/out} (WxDxH)	1010x315x220/ 863x349x602 mm
Packaging {in/out} (WxDxH)	1096x390x312/ 890x385x628 mm
Net weight (in/out)	12kg/ 35kg
Gross weight (in/out)	15kg/ 40kg
Loading Qty 40'HQ	190



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display



Low Noise Design



On/off Timer



Eco-friendly Refrigerant R410A



Easy Installation



Powerful Compressor T1





# COOL ONLY INVERTER SPLIT T1

## INVSWTU-9KCI01/ INVSWTU-9KCO01

### Specifications

Type	Cooling only
Rated cooling capacity	9000 Btu/h
Rated power Input	750 W
Product {in/out} (WxDxH)	698x255x190/ 722x276x459 mm
Packaging {in/out} (WxDxH)	764x325x267/ 765x310x481 mm
Net weight (in/out)	6.5kg/ 22.5kg
Gross weight (in/out)	8.5kg/ 26.5kg
Loading Qty 40'HQ	370



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display Remote Control



Low Noise Design



On/off Timer Sleep Mode



Eco-friendly Refrigerant R410A



Easy Installation



Dc Inverter T1 Compressor

## INVSWTU-12KCI02/ INVSWTU-12KCO02

### Specifications

Type	Cooling only
Rated cooling capacity	12000 Btu/h
Rated power Input	1004 W
Product {in/out} (WxDxH)	776x250x202/ 787x290x498 mm
Packaging {in/out} (WxDxH)	850x320x275/ 818x325x520 mm
Net weight (in/out)	8kg/ 24kg
Gross weight (in/out)	10kg/ 28kg
Loading Qty 40'HQ	312



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display Remote Control



Low Noise Design



On/off Timer Sleep Mode



Eco-friendly Refrigerant R410A



Easy Installation




Dc Inverter T1 Compressor

## INVSWTU-18KCI03/ INVSWTU-18KCO03

### Specifications

Type	Cooling only
Rated cooling capacity	18000 Btu/h
Rated power Input	1595 w
Product {in/out} (WxDxH)	910x294x206/ 795x305x549 mm
Packaging {in/out} (WxDxH)	979x372x277/ 835x340x585 mm
Net weight (in/out)	10kg/ 27kg
Gross weight (in/out)	13kg/ 32 kg
Loading Qty 40'HQ	245



### Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display Remote Control



Low Noise Design



On/off Timer Sleep Mode



Eco-friendly Refrigerant R410A



Easy Installation



Dc Inverter T1 Compressor



# COOL ONLY INVERTER SPLIT T1

INVSWTU-24KCI04/ INVSWTU-24KCO04

## Specifications

Type	Cooling only
Rated cooling capacity	24000 Btu/h
Rated power Input	2033 w
Product (in/out) (WxDxH)	1010x315x220/ 853x349x602 mm
Packaging (in/out) (WxDxH)	1096x390x297/ 890x385x628 mm
Net weight (in/out)	13kg/ 32kg
Gross weight (in/out)	16kg/ 39kg
Loading Qty 40'HQ	190



## Features



Cooling Pump



100% Copper Coil



Enhanced Safety



Hidden Display Remote Control



Low Noise Design



On/off Timer Sleep Mode



Eco-friendly Refrigerant R410A



Easy Installation



Dc Inverter T1 Compressor





# POLAR SERIES ON/OFF SPLIT T3

## POLAR-WTW18KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	18000 Btu/h
Rated cooling capacity t3	16002 Btu/h
Product {in/out} (WxDxH)	1010x315x220/ 853x349x602 mm
Packaging {in/out} (WxDxH)	1096x390x297/ 890x385x628 mm
Net weight (in/out)	12kg/ 37kg
Gross weight (in/out)	15kg/ 42kg
Loading Qty 40'HQ	196



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation



T3  
Compressor

## POLAR-WTW24KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	22000 Btu/h
Rated cooling capacity t3	19000 Btu/h
Product {in/out} (WxDxH)	1010x315x220/ 920x380x699 mm
Packaging {in/out} (WxDxH)	1096x390x297/ 950x420x732 mm
Net weight (in/out)	12kg/ 46kg
Gross weight (in/out)	15kg/ 51kg
Loading Qty 40'HQ	154



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation



T3  
Compressor

## POLAR-WTW30KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	28000 Btu/h
Rated cooling capacity t3	25000 Btu/h
Product {in/out} (WxDxH)	1186x340x258/ 976x421x804 mm
Packaging {in/out} (WxDxH)	1265x420x337/ 1022x480x835 mm
Net weight (in/out)	18kg/ 55kg
Gross weight (in/out)	22kg/ 64kg
Loading Qty 40'HQ	105



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation



T3  
Compressor



# POLAR SERIES INVERTER SPLIT T3

## POLAR-INVWTW18KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	18400(4436-19790) Btu/h
Rated cooling capacity t3	17300(5118-18766) Btu/h
Product {in/out} (WxDxH)	1100x333x222/ 853x349x602 mm
Packaging {in/out} (WxDxH)	1165x405x295/ 890x385x628 mm
Net weight (in/out)	14kg/ 29kg
Gross weight (in/out)	17kg/ 32kg
Loading Qty 40'HQ	185



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation



Dc Inverter  
T3 Compressor

## POLAR-INVWTW24KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	25000(4094-26272) Btu/h
Rated cooling capacity t3	22200(4436-23543) Btu/h
Product {in/out} (WxDxH)	1100x333x222/ 920x380x699 mm
Packaging {in/out} (WxDxH)	1165x405x295/ 950x420x732 mm
Net weight (in/out)	14kg/ 36kg
Gross weight (in/out)	17kg/ 41kg
Loading Qty 40'HQ	150



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation




Dc Inverter  
T3 Compressor

## POLAR-WTW30KC

### Specifications

Type	Cooling only
Rated cooling capacity t1	26000(6142-34120) Btu/h
Rated cooling capacity t3	20500(6142-34120) Btu/h
Product {in/out} (WxDxH)	1186x340x258/ 976x421x804 mm
Packaging {in/out} (WxDxH)	1265x420x337/ 1022x480x835 mm
Net weight (in/out)	17kg/ 49kg
Gross weight (in/out)	21kg/ 56kg
Loading Qty 40'HQ	122



### Features



Cooling Pump  
& Powerful  
Motor



100%  
Copper Coil



Enhanced  
Safety



Hidden Display  
Remote Control



Low Noise  
Design



On/off Timer  
Sleep Mode



Eco-friendly  
Refrigerant  
R410A



Easy  
Installation



Dc Inverter  
T3 Compressor





# PISTON A.C.

## ACSX-WTPS18KI01/ ACSX-WTPS18KO01

### Specifications

Type	Cooling only
Rated cooling capacity	20000 Btu/h
Rated power Input	3000 W
Product {in/out} (WxDxH)	1095×330×233/ 970×805×395 mm
Packaging {in/out} (WxDxH)	1155×397×312/ 1105×890×495 mm
Net weight (in/out)	12.5kg/ 68kg
Gross weight (in/out)	16kg/ 76kg
Container Loading	110



### Features



Self Cleaning



Golden Fin



Sleep Mode



Anti rust cabinet



Powerful Dehumidification



Timer



Self Diagnosis Function



Hidden display



Powerful piston compressor



Low noise design



Eco friendly R410A refrigerant




Ionizer

## ACSX-WTPS24KI02/ ACSX-WTPS24KO02

### Specifications

Type	Cooling only
Rated cooling capacity	24900 Btu/h
Rated power Input	3300 W
Product {in/out} (WxDxH)	1250×360×253/ 970×805×395 mm
Packaging {in/out} (WxDxH)	1340×445×355/ 1105×890×495 mm
Net weight (in/out)	16kg/ 69kg
Gross weight (in/out)	22kg/ 76kg
Container Loading	100



### Features



Self Cleaning



Golden Fin



Sleep Mode



Anti rust cabinet



Powerful Dehumidification



Timer



Self Diagnosis Function



Hidden display



Powerful piston compressor



Low noise design



Eco friendly R410A refrigerant



Ionizer

## ACSX-WTPS30KI03/ ACSX-WTPS30KO03

### Specifications

Type	Cooling only
Rated cooling capacity	32000 Btu/h
Rated power Input	3500 w
Product {in/out} (WxDxH)	1460×375×270/ 970×805×395 mm
Packaging {in/out} (WxDxH)	1555×460×377/ 1105×890×495 mm
Net weight (in/out)	20Kg/ 70Kg
Gross weight (in/out)	26Kg/ 77.5Kg
Loading Qty 40'HQ	88



### Features



Self Cleaning



Golden Fin



Sleep Mode



Anti rust cabinet



Powerful Dehumidification



Timer



Self Diagnosis Function



Hidden display



Powerful piston compressor



Low noise design



Eco friendly R410A refrigerant



Ionizer




# PISTON A.C.

## ACSX-WTPS36KI04/ ACSX-WTPS36KO04

### Specifications

Type	Cooling only
Rated cooling capacity	33000 Btu/h
Rated power Input	3600 W
Product (in/out) (WxDxH)	1460×375×270/ 970×805×395 mm
Packaging (in/out) (WxDxH)	1555×460×377/ 1105×890×495 mm
Net weight (in/out)	20kg/ 72.5kg
Gross weight (in/out)	26kg/ 80kg
Container Loading	88



### Features



Self  
Cleaning



Golden  
Fin



Sleep  
Mode



Anti rust  
cabinet



Powerful  
Dehumidification



Timer



Self Diagnosis  
Function



Hidden  
display



Powerful  
piston  
compressor



Low noise  
design



Eco friendly  
R410A  
refrigerant



Ionizer







## WINDOW AIR CONDITIONER

Witness the perfect blend of style and performance!  
Experience superior comfort & efficient cooling, transforming any space into your oasis.

### POWERFUL T3 COMPRESSOR




Air is distributed in four directions evenly, ensuring uniform Cooling or Heating throughout the room.

### AUTO SWING



It efficiently provides both Heating and Cooling functions, ensuring comfort in all seasons.

### 4 WAY AIR DIRECTION



Designed to operate quietly, ensuring a peaceful environment while the air conditioner is in use.






## CASSETTE AIR CONDITIONER


The SPJ Cassette Air Conditioner is an innovation that meets comfort ! Enjoy whisper-quiet cooling, & sleek design, transforming your space into a haven of tranquility and relaxation.

### 4-WAY CASSETTE



Air is distributed in four directions evenly, ensuring uniform Cooling or Heating throughout the room.

### HEAT & COOL PUMP



It efficiently provides both Heating and Cooling functions, ensuring comfort in all seasons.

### LOW NOISE DESIGN



Designed to operate quietly, ensuring a peaceful environment while the air conditioner is in use.



# CASSETTE A.C

## CSTWTW-P118KRI01/ CSTWTW- P118KRO01

### Specifications



Cooling capacity	18000 Btu/h
Heating capacity	18000 Btu/h
Indoor air flow (H i/Me/Lo)	1100/950/880 m3/h
Net weight (in/out/panel)	19kg/ 34kg/ 6kg
Gross weight (in/out/panel)	22kg/ 37kg/ 9kg
Loading Qty 40'HQ	120
Product {in/out/panel} (WxDxH)	575x260x575 / 760x550x250 / 950x45x950 mm
Packaging {in/out/panel} (WxDxH)	725x300x725 / 863x590x361/ 1035x80x1035 mm



### Features



## CSTWTW-P124KRI02 / CSTWTW-P124KRO02

### Specifications



Cooling capacity	24000 Btu/h
Heating capacity	24000 Btu/h
Indoor air flow (Hi/Me/Lo)	1250/1100/950 m3/h
Net weight (in/out/panel)	22kg/ 47kg/ 6kg
Gross weight (in/out/panel)	27kg/ 50kg/ 9kg
Loading Qty 40'HQ	100
Product {in/out/panel} (WxDxH)	830x230x830/ 845x700x330/ 950x45x950 mm
Packaging {in/out/panel} (WxDxH)	925x290x925/ 960x735x430/ 1035x80x1035 mm



### Features





# CASSETTE A.C

## CSTWTW-P136KRI03 / CSTWTW-P136KRO03

### Specifications



Cooling capacity	36000 Btu/h
Heating capacity	40000 Btu/h
Indoor air flow (H i/Me/Lo)	1600/1500/1400 m3/h
Net weight (in/out/panel)	26kg/ 60kg/ 6kg
Gross weight (in/out/panel)	30kg/ 64kg/ 9kg
Loading Qty 40'HQ	82
Product {in/out/panel} (WxDxH)	840x245x840/ 910x805x360/ 950x45x950 mm
Packaging {in/out/panel} (WxDxH)	935x305x935/ 1030x860x475/ 1035x80x1035 mm



### Features



## CSTWTW-P348KRI04 / CSTWTW-P348KRO04

### Specifications



Cooling capacity	48000 Btu/h
Heating capacity	50000 Btu/h
Indoor air flow (Hi/Me/Lo)	1700/1500/1400 m3/h
Net weight (in/out/panel)	28kg/81kg/ 6kg
Gross weight (in/out/panel)	33kg/90kg/ 9kg
Loading Qty 40'HQ	63
Product {in/out/panel} (WxDxH)	830x290x830/ 940x1250x340/ 950x45x950 mm
Packaging {in/out/panel} (WxDxH)	925x360x925/ 1030x1365x430/ 1035x80x1035 mm



### Features





# WINDOW AC

## POLAR-WFXWTW18KC

### Specifications

Type	T3 cooling only
T1 cooling capacity	17200 btu
T3 cooling capacity	14300 btu
Product (WxDxH)	660x430x680 mm
Packaging (WxDxH)	735x500x765 mm
Net weight	49kg
Gross weight	53kg
Loading Qty 40'HQ	240



### Features



## POLAR-WFXWTW24KC

### Specifications

Type	T3 cooling only
T1 cooling capacity	21000 btu
T3 cooling capacity	17600 btu
Product (WxDxH)	660x430x680 mm
Packaging (WxDxH)	735x500x765 mm
Net weight	53.5kg
Gross weight	57.5kg
Loading Qty 40'HQ	240



### Features





# VOLTAGE REGULATOR

Introducing the SPJ voltage regulator your power's guardian angel ! With precision engineering and unwavering reliability, it ensures smooth, stable electricity flow for all your electronic needs.







### Safety Protection

Voltage regulators feature overload, overheating, short circuit, and spike protection, ensuring safe operation and protection for connected devices against electrical hazards and damage.



### 0.5 Second Action Time

Responds swiftly to voltage fluctuations, ensuring a stable power supply and protecting connected devices from potential damage.



### Digital Display

Provides clear and accurate voltage readings, allowing users to monitor power levels & ensure optimal performance of connected devices.



### 80% Efficiency

Maintains 80% power output, optimizing energy usage while ensuring consistent device performance.



### High Voltage Protection

Safeguards devices by automatically regulating and limiting excessive voltage levels, preventing overloads & potential harm to sensitive electronics.



### Household Versatility

Suitable for LED TVs, computers, refrigerators, and air conditioners, ensuring device safety.



# AUTOMATIC VOLTAGE REGULATOR

## AVR-BLU500W01

### Specifications

Output voltage	500W
Input frequency	50Hz/ 60Hz
Product (WxDxH)	215x110x143 mm
Packaging (WxDxH)	500x300x340 mm
Net/ Gross weight	19kg/ 22kg
Per pc weight	2.75kg
Carton (pcs)	8
Loading capacity	10000



### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%

## AVR-BLU1000W02

### Specifications

Output voltage	1000W
Input frequency	50Hz/ 60Hz
Product (WxDxH)	218x168x175 mm
Packaging (WxDxH)	692x295x205 mm
Net/ Gross weight	18kg/ 20kg
Per pc weight	5kg
Carton (pcs)	4
Loading capacity	5500



### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%

## AVR-BLU1500W03

### Specifications

Output voltage	1500W
Input frequency	50HZ/ 60HZ
Product (WxDxH)	218x168x175 mm
Packaging (WxDxH)	692x295x205 mm
Net/ Gross weight	20kg/22kg
Per pc weight	5.5kg
Carton (pcs)	4
Loading capacity	5000



### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%



# AUTOMATIC VOLTAGE REGULATOR

## AVR-BLU2000W04



### Specifications

Output voltage	2000W
Input frequency	50Hz/ 60Hz
Product (WxDxH)	218x168x175 mm
Packaging (WxDxH)	692x295x205 mm
Net/ Gross weight	24kg/ 26kg
Per pc weight	6.5kg
Carton (pcs)	4
Loading capacity	4228

### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%



## AVR-BLU3000W05



### Specifications

Output voltage	3000W
Input frequency	50Hz/ 60Hz
Product (WxDxH)	345x210x250 mm
Packaging (WxDxH)	425x268x320 mm
Net/ Gross weight	11kg/ 12kg
Per pc weight	12kg
Carton (pcs)	1
Loading capacity	2340

### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%



## AVR-BLU5000W06



### Specifications

Output voltage	5000W
Input frequency	50HZ/ 60HZ
Product (WxDxH)	345x210x250 mm
Packaging (WxDxH)	425x268x320 mm
Net/ Gross weight	15kg/ 16kg
Per pc weight	16kg
Carton (pcs)	1
Loading capacity	1720

### Features



Safety Protection:  
Especially For Low  
Voltage Protection



Digital  
Display



High Voltage  
Protection &  
Fluctuation



Action Time  
Less Than  
0.5 Second



Suitable For  
Multi Electronic  
Devices



Input & Output  
Voltage-  
220v/110+10%





# CHEST FREEZER



From preserving seasonal bounties to storing culinary creations, these icy champions keep your goods chilled to perfection.



## EMBOSSED ALUMINIUM INNER



The chest freezer boasts embossed aluminum lining for durability and easy maintenance.

## HARDTOP SINGLE DOOR



Hardtop design & single door ensure easy access while preserving freshness.

## POWERFUL COMPRESSOR



Powerful compressor quickly cools & maintains consistent freezing, perfect for long-term storage.

## INSIDE LED LIGHT



LED lighting illuminates the interior for easy organization & access, even in low light.





# CHEST FREEZER

## CF130SLW

### Specifications

Volume	95 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	550x475x848 mm
Packaging (WxDxH)	580x495x892 mm
Net / Gross Weight	26kg/ 29kg
Loading Capacity	287

### Features



Hardtop  
Single Door



Embossed  
Aluminium Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a



## CF210SLW

### Specifications

Volume	150 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	730x545x845 mm
Packaging (WxDxH)	761x574x885 mm
Net / Gross Weight	33kg/ 36kg
Loading Capacity	188

### Features



Hardtop  
Single Door



Embossed  
Aluminium Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a



## CF260SLW

### Specifications

Volume	200 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	880x545x845 mm
Packaging (WxDxH)	911x574x885 mm
Net / Gross Weight	37kg/ 41kg
Loading Capacity	155

### Features



Hardtop  
Single Door



Embossed  
Aluminium Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a





# CHEST FREEZER

## CF410SLW

### Specifications

Volume	280 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	1100x662x886 mm
Packaging (WxDxH)	1155x673x890 mm
Net / Gross Weight	45kg/ 50kg
Loading Capacity	104



### Features



Hardtop  
Single Door



Embossed  
Aluminium Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a

## CF560SLW

### Specifications

Volume	367 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	1233x705x845 mm
Packaging (WxDxH)	1280x770x880 mm
Net / Gross Weight	57kg/ 61kg
Loading Capacity	81



### Features



Hardtop  
Single Door



Embossed  
Aluminium Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290

## CF660SLW

### Specifications

Volume	519 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	1663x705x845 mm
Packaging (WxDxH)	1703x760x880 mm
Net / Gross Weight	80kg/ 87kg
Loading Capacity	63



### Features



Hardtop  
Double Door



Embossed  
Aluminium Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290




# CHEST FREEZER

## CF960SLW

### Specifications

Volume	724 litres
Case Color	Grey
Case Liner	Embossed Aluminum
Temperature Control	Mechanical dial
Product (WxDxH)	1985x792x898 mm(with wheels)
Packaging (WxDxH)	2060x855x890 mm
Net / Gross Weight	87kg/ 96kg
Loading Capacity	42



### Features



Hardtop  
Double Door



Embossed  
Aluminium Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290

## POSH-SLW130C

### Specifications

Volume	95 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	550x475x848 mm
Packaging (WxDxH)	580x495x892 mm
Net / Gross Weight	26kg/ 29kg
Loading Capacity	287



### Features



Hardtop  
Single Door



White  
Smooth Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a

## POSH-SLW210C

### Specifications

Volume	150 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	730x545x845 mm
Packaging (WxDxH)	761x574x885 mm
Net / Gross Weight	33Kg/36Kg
Loading Capacity	188



### Features



Hardtop  
Single Door



White  
Smooth Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a



# CHEST FREEZER

## POSH-SLW295C

### Specifications

Volume	200 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	880x545x845 mm
Packaging (WxDxH)	911x574x885 mm
Net / Gross Weight	37kg/ 41kg
Loading Capacity	155



### Features



Hardtop  
Single Door



White  
Smooth Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a

## POSH-SLW395C

### Specifications

Volume	280 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	1100x662x886 mm
Packaging (WxDxH)	1155x673x890 mm
Net / Gross Weight	45kg/ 50kg
Loading Capacity	104



### Features



Hardtop  
Single Door



White  
Smooth Inner



Inside  
Sliding Door



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R600a

## POSH-SLW495C

### Specifications

Volume	367 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	1233x705x845 mm
Packaging (WxDxH)	1280x770x880 mm
Net / Gross Weight	57kg/ 61kg
Loading Capacity	81



### Features



Hardtop  
Single Door



White  
Smooth Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290



# CHEST FREEZER

## POSH-SLW595C

### Specifications

Volume	519 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	1663x705x845 mm
Packaging (WxDxH)	1703x760x880 mm
Net / Gross Weight	80kg/ 87kg
Loading Capacity	63



### Features



Hardtop  
Double Door



White  
Smooth Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290

## POSH-SLW795C

### Specifications

Volume	724 litres
Case Color	Grey
Case Liner	PCM White
Temperature Control	Mechanical dial
Product (WxDxH)	1985x792x898 mm(with wheels)
Packaging (WxDxH)	2060x855x890 mm
Net / Gross Weight	87kg/ 96kg
Loading Capacity	42



### Features



Hardtop  
Double Door



White  
Smooth Inner



Powerful  
Compressor



Inside  
LED Light



Defrost



Refrigerant  
R290









# STANDING COOKER

Experience culinary excellence with the SPJ Standing Cooker. Combining sleek design with Powerful Performance, this cooker is your ultimate kitchen companion for delicious meals.





## OVEN LAMP




Illuminate the interior of the oven for easy monitoring of your cooking progress, ensuring your dishes are perfectly cooked every time.

## OVEN A CAKE TRAY + BAKING RACK



Includes versatile accessories for baking cakes and other goodies, as well as a baking rack for optimal heat distribution.

## GLASS COVER LID



Safely cover the hotplates when not in use, providing protection and a sleek appearance to your cooker.

## AUTO MODE



Easily set cooking durations with the mechanical timer, ensuring precise cooking times for your dishes.

## ELECTRIC HOTPLATE



Enjoy the convenience of an electric hotplate for cooking, offering quick and even heat distribution for various culinary tasks.

## OVEN ROTISSERIE



Cook succulent roasts with the included oven rotisserie, perfect for achieving that golden, crispy exterior and tender interior.



# STANDING COOKER

SCSSU-60L4H15

## Specifications

Capacity	60liters
Color	Stainless Steel
Stove	1000Wx4
Electric oven	1000W + 1500W
Product (WxDxH)	500x600x860mm
Packaging (WxDxH)	508x620x860mm
Net/ Gross weight	32kg/ 34kg
Loading Qty	228

## Features



Oven  
Lamp



Glass  
Cover Lid



4 Electric  
Hot Plate  
With Stove



Oven &  
Cake Tray



Baking  
Rack



Electric  
Cable Wire





# STANDING COOKER

## SCBLV-60L4G17

### Specifications

Capacity	60liters
Color	Black Color
Stove	1 large+2 medium+1 small size
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	24kg/ 26kg
Loading Qty	276

### Features



Oven Lamp



Glass Cover Lid



4 Gas Stove



Baking Rack



Electric Plug



Manual Ignition For Stove & Oven



Gas Burner In Oven



## SCBLV-60L3G1H18

### Specifications

Capacity	60liters
Color	Black Color
Stove	1 large+1 medium+1 small size
Electric Hotplate	1000Wx1
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	26kg/ 28kg
Loading Qty	276

### Features



Oven Lamp



Glass Cover Lid



3 Gas Stove +1 Electric Hotplate



Baking Rack




Electric Plug



Manual Ignition For Stove & Oven



Gas Burner In Oven





# STANDING COOKER

## SCGRW-5822GE22



### Specifications

Net volume	58 Lt.
Energy input	Gas+Electric
Electrical power max. (W)	4625
Voltage (V)	220-240
Product (WxDxH)	570x576.1x848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	33-38kg/ 35-40kg
Loading Qty	239

### Features



Double Door  
Oven Glass



Mechanical  
Timer



SS 304 Matt  
Inox Table Top



Oven Lamp



2 Gas Burner  
+ 2 Electrical  
Hot Plate



1 X Tray &  
1 X Oven Chrome  
Coated Wire Grid



Bottom Burner  
Is Gas & Up Is  
Electrical Oven



## SCGRW-5804E23



### Specifications

Net volume	58liters
Energy input	Electric
Electrical power max. (W)	7825
Voltage (V)	220-240
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	33-38kg/ 35-40kg
Loading Qty	239

### Features



Double Door  
Oven Glass



Mechanical  
Timer



Ss 304 Matt  
Inox Table Top



Oven Lamp



4 Electrical  
Hot Plate



1 X Tray &  
1 X Oven Chrome  
Coated Wire Grid



Electrical Oven  
(0+3 Function)



## SCGRW-9042GE24



### Specifications

Capacity	107liters
Color	Gas+Electric
Stove	5025
Electric oven	220-240
Product (WxDxH)	900X600X891.8 mm
Packaging (WxDxH)	890X660X795 mm
Net/ Gross weight	59-72kg/ 62-75kg
Loading Qty	123

### Features



Double Door  
Oven Glass



Mechanical  
Timer



Ss 304 Matt  
Inox Table Top



Oven Lamp



4 Gas Burner  
+ 2 Electrical  
Hot Plate



1 X Tray &  
1 X Oven Chrome  
Coated Wire Grid



Bottom Burner  
Is Gas & Up Is  
Electrical Oven



Turnspit  
(Chicken  
Rotisserie)





# STANDING COOKER



## SCSSW-6604EE25

### Specifications

Oven volume	64 Liters
Power of oven (kw)	2400W
Power of grill (kw)	1100w
Product (WxDxH)	598x585x915 mm
Packaging (WxDxH)	677x637x925 mm
Net/ Gross weight	42kg/ 45kg
Loading capacity	166

### Features



Removable Inner Door



Vitre Ceramic Hob Top



Power Of Hob : 2x1800w & 2x1200w



Mechanical/timer ~ 90 Mins



Adjustable Legs



Electric Grill



## SCSSW-9605EE26

### Specifications

Net volume	110 Liters
Energy input	2900W
Electrical power max. (W)	1200W
Product (WxDxH)	898x595x835 mm
Packaging (WxDxH)	970x680x837 mm
Net/ Gross weight	69kg/ 74kg
Loading Qty	123

### Features



Removable Inner Door



Vitre Ceramic Hob Top



Power Of Hob : 1x2000W + 2x1800W & 2x1200W



Mechanical/timer ~ 90 Mins



Adjustable Legs



Electric Grill



## SCGRW-6640GG27

### Specifications

Net volume	45liters
Type of control/ Ignition type	Manual/ Automatic
Max. Gas consumption	992 glh
Total power (kw)	13.65
Burners	4 gas euro pool
Product (WxDxH)	597x631x900 mm
Packaging (WxDxH)	645x673x890 mm
Net/ Gross weight	34-40kg/ 40-43kg
Loading Qty	182

### Features



Oven Lamp, Turbo Fan



A Class White Insulation



Double Door Oven Glass



FFD Protection (Flame Failure Device)



Flap Type Bottom Door



Adjustable Legs & Inox Table Top



Rotisserie, Glass Lid





# STANDING COOKER



## SCGRW-9650GG28

### Specifications

Net volume	98liters
Type of control/ Ignition type	Manual/ Automatic
Max. Gas consumption	1265 glh
Total power (kw)	17.40
Burners	5 gas euro pool
Product (WxDxH)	900x626.8x891.8 mm
Packaging (WxDxH)	950x685x842 mm
Net/ Gross weight	59-72kg/ 62-75kg
Loading Qty	123



### Features

- Oven Lamp, Turbo Fan
- A+ Class White Insulation
- Double Door Oven Glass
- FFD Protection (Flame Failure Device)
- Flap Type Bottom Door
- Adjustable Legs & Inox Table Top
- Rotisserie, Glass Lid



## SCGRX-5540GG29

### Specifications

Net volume	43liters
Type of control/ Ignition type	Manuel
Max. Gas consumption	745 g/h
Total power (kw)	10.25
Burners	4
Packaging/ Product (WxDxH)	515X590X885 mm / 500X578X838 mm
Net/ Gross weight	29kg/ 31kg
Loading Qty	274/ 700 Pcs



### Features

- Oven Lamp
- Glass Top Lid
- Mechanical Timer
- 4 Gas pipe type Euro burners
- Gas oven & Gas grill with double knob control
- Push Button Ignition for Hob
- Matt Enameled Pan Supports
- 1 Tray, 1 Grid



## SCGRX-5531GE30

### Specifications

Net volume	43liters
Type of control/ Ignition type	Manuel
Max. Gas consumption	701 g/h
Total power (kw)	6.75
Burners	3
Packaging (WxDxH)	515X590X885
Net/ Gross weight	29kg/ 31kg
Loading Qty	274/ 675 Pcs



### Features

- Oven Lamp
- Glass Top Lid
- Mechanical Timer
- 3 Gas pipe type Euro burners + 1x145 HP (1500W)
- Gas & Electric oven
- Push Button Ignition for Hob
- Matt Enameled Pan Supports
- 1 Tray, 1 Grid



# STANDING COOKER

## SCGRX-5731GE31

### Specifications

Net volume	58 Lt.
Type of control/ Ignition type	Manuel
Max. Gas consumption	701 g/h
Total power (kw)	6.75
Burners	3
Product/ Packaging (WxDxH)	570X576.1X848/ 515X590X885mm
Net/ Gross weight	29kg/ 31kg
Loading Qty	239/625 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



3 Gas pool type Euro burners + 1x145 HP (1500W)



Gas & Electric oven



Push Button Ignition for Hob



Matt Enameled Pan Supports



1 Tray, 1 Grid

## SCGRX-5031GE32

### Specifications

Electrical Power Max. (W)	2425
Power of oven (kw)	2.4
Total Power	6.75
Product (WxDxH)	500X578X838 mm
Packaging (WxDxH)	515X590X885 mm
Net/ Gross weight	29.9kg/ 32.5kg
CBU/CKD Loading Qty	273/750 PCS
Hotplate (W)	1500

### Features



Oven Lamp



Glass Cover Lid



Mechanical Timer



3 Gas Pipe Burners 1 Electrical Hotplate



Electrical and Gas Oven



Push Button Ignition for Hob



Matt Enameled Pan Supports



1 Oven Tray, 1 Chrome Wire Grid

## SCGRX-5022GE33

### Specifications

Electrical Power Max. (W)	4625
Gas type	G30
Total Power	3.35
Product (WxDxH)	500X578X838 mm
Packaging (WxDxH)	515X590X885 mm
Net/ Gross weight	30.1kg/ 32.7kg
Loading Qty	273/750 PCS

### Features



Oven Lamp



Glass Cover Lid



Mechanical Timer



2 Gas Pipe Burners 2 Electrical Hotplates



Electrical (0+3 Function) Oven



Push Button Ignition for Hob



Matt Enameled Pan Supports



1 Oven Tray, 1 Chrome Wire Grid



# STANDING COOKER

## SCBLX-5531GE34

### Specifications

Oven volume	52 Liters
Power of oven (kw)	2.4
Total Power	7.45
Product (WxDxH)	500X578X838 mm
Packaging (WxDxH)	515X590X885 mm
Net/ Gross weight	29.3kg/ 31.9 kg
CBU/CKD Loading Qty	274/750 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



3 Gas pipe type Euro burners + 1x145 HP (1500W)



Gas & Electric oven



Push Button Ignition for Hob



Matt Enameled Pan Supports



1 Tray, 1 Grid

## SCBLX-5731GE35

### Specifications

Net volume	48
Power of oven (kw)	2.4
Total Power	7.45
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	31.1kg/ 33.5kg
Loading Qty	239

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



3 Gas pipe type Euro burners + 1x145 HP (1500W)



Gas & Electric oven



Push Button Ignition for Hob



Matt Enameled Pan Supports



1 Tray, 1 Grid



Turnspit

## SCX-BL5040G36

### Specifications

Capacity	50 liters
Color	Black Color
Stove	1 large+2 medium+1 small size
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	22kg/ 24kg
Loading Qty	276

### Features



Glass Cover Lid



4 Gas Stove



Baking Rack



Electric Plug



Manual Ignition For Stove & Oven



Gas Burner In Oven



# STANDING COOKER

## SCX-BL5040G37

### Specifications

Capacity	60 liters
Color	Black Color
Stove	1 large+2 medium+1 small size
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	24kg/ 26kg
Loading Qty	276

### Features



Oven Lamp



Glass Cover Lid



4 Gas Stove



Baking Rack



Electric Plug



Auto ignition for stove and manual ignition for oven



Gas Burner In Oven



## SCX-BL5040GG38

### Specifications

Capacity	60 liters
Color	Black Color
Stove	1 large+2 medium+1 small size
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	24kg/ 26kg
Loading Qty	276

### Features



Oven Lamp



Glass Cover Lid



4 Gas Stove



Baking Rack



Electric Plug



Auto ignition for stove and manual ignition for oven



Up & Down Gas burner in Oven



## SCX-GR5731EE39

### Specifications

Net volume	58
Gas Type	G30
Total power (kw)	5.05
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	33kg/ 35.4kg
CBU/CKD Loading Qty.	239/575 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



3 Gas Pool type Euro burners + 1x145 HP (1500W)



Electrical (0+3 Functions) Oven with Thermostat



Push Button Ignition for Hob



Cast Iron pan supports



1 Tray & 1 Chrome Coated Wire Grid





# STANDING COOKER

## SCX-BL5740EE40



### Specifications

Oven volume	58 Liters
Gas type	G30
Total Power	5.85
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	34.5kg/ 36.9kg
CBU/CKD Loading Qty	239/575 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



4 Gas Pipe Type Euro Burners



Electrical (0+3 Functions) Oven with Thermostat



Push Button Ignition for Hob



Enameled Pan Supports



1 Tray & 1 Chrome Coated Wire Grid



## SCX-GR5722EE41



### Specifications

Net volume	58
Gas Type	G30
Total Power	2.55
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	31.3kg/ 33.7kg
CBU/CKD Loading Qty.(40 HQ)	239/550 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



2 Gas Pool Type Euro Burners + 2x145 HP (1500W) HP



Electrical (0+3 Functions) Oven with Thermostat



Push Button Ignition for Hob



Cast Iron Pan Supports



1 Tray & 1 Chrome Coated Wire Grid



Turnspit



## SCX-GR9642EE42



### Specifications

Net volume	108 Lt.
Gas Type	G30
Total power (kw)	6.70
Product (WxDxH)	900X600X891.8 mm
Packaging (WxDxH)	660X890X795 mm
Net/ Gross weight	55.95kg/ 60.45kg
CBU/CKD Loading Qty.	123/240 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



4 Gas Pool Type Euro Burners + 2x145 HP (1500W) HP



Electrical (0+3 Functions) Oven with Thermostat



Push Button Ignition for Hob



Cast Iron Pan Supports



1 Tray & 1 Chrome Coated Wire Grid



Turnspit





# STANDING COOKER

## SCX-GR5022GG43



### Specifications

Oven volume	47 Lt.
Gas type	G30
Total Power	7.75
Product (WxDxH)	500X578X838 mm
Packaging (WxDxH)	515X590X885 mm
Net/ Gross weight	24.15kg/ 26kg
CBU/CKD Loading Qty	273/750 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



2 Gas Pipe Burners + 2 Electrical Hotplates



Single Glass Oven Door



Push Button Ignition for hob



Matt Enameled Pan Supports



1 Oven Tray & 1 Chrome Coated Wire Grid



## SCX-BL5740GG44



### Specifications

Net volume	50 Lt.
Gas Type	G30
Total Power	10.25
Product (WxDxH)	570X576.1X848 mm
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	33.2kg/ 35.65kg
CBU/CKD Loading Qty.(40 HQ)	239/550 pcs

### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



4 Gas Pipe Type Euro Burners



Double Glass Oven Door



Fix Type Bottom Door



Matt Enameled Pan Supports



1 Oven Tray & 1 Chrome Coated Wire Grid



## SCX-GR5040GG45



### Specifications

Capacity	60 liters
Color	Inox Color
Stove	1 large+2 medium+1 small size
Product (WxDxH)	500x500x810mm
Packaging (WxDxH)	508x570x810mm
Net/ Gross weight	24kg/ 26kg
Loading Qty	276
CBU/CKD Loading Qty.(40 HQ)	239/550 pcs

### Features



Oven Lamp



Glass Cover Lid



4 Gas Stove



Baking Rack



Electric Plug



Pulse Ignition for Stove & manual ignition for Oven



Gas Burner In Oven





# STANDING COOKER

SCX-GR5740GG46



### Specifications

Net volume	5l
Gas Type	G30
Total power (kw)	2.00
Product (WxDxH)	570X576.1X848
Packaging (WxDxH)	585X590X885 mm
Net/ Gross weight	55.95kg/ 60.45kg
CBU/CKD Loading Qty.	239/550 pcs



### Features



Oven Lamp



Glass Top Lid



Mechanical Timer



4 Gas Pipe Type Euro Burners



Double Glass Oven Door



Fix Type Bottom Door



Matt Enameled Pan Supports



1 Oven Tray & 1 Chrome Coated Wire Grid





# IRON

The perfect cloth iron for crisp, wrinkle-free clothes! With rapid heating, adjustable temperature settings, and a smooth glide soleplate, it ensures effortless ironing. Designed for convenience with a lightweight build and steam boost for tough creases. Keep your outfits fresh and sharp every day!





# IRON (STEAM)

## SIX-PPAS03/SIX-BLAS04

### Specifications

Product Color	Purple/Black
Plug	3 PIN
Watts	1200W
Water tank (ml)	160
Product (WxDxH)	247x98x129 mm
Packaging (WxDxH)	260X102X142 mm
Net/ Gross weight	0.74/ 0.88kg
Loading Qty	15840



### Features



Adjustable  
Thermostat  
Control



Indicated  
Light



Soft Grip  
Handle



Dry Ironing  
Function



Powerful Burst Steam  
& Vertical Steam  
Function

## SIX-GNCS05/ SIX-GRCS06

### Specifications

Product Color	Green/Grey
Plug	3 PIN
Watts	2400-2800W
Water tank (ml)	360
Product (WxDxH)	315.5X137.2X157.2 mm
Packaging (WxDxH)	345X142X167mm
Net/ Gross weight	1.34/ 1.6kg
Loading Qty	6720



### Features



Spray & Steam  
Function



Indicated  
Light



Soft Grip  
Handle



Dry Ironing  
Function



Powerful Burst Steam  
& Vertical Steam  
Function



Ceramic  
Soleplate



Anti-drip  
function

## SIX-GRCS07

### Specifications

Product Color	Grey
Plug	3 PIN
Watts	2000-2400W
Water tank (ml)	280
Product (WxDxH)	284x121x141 mm
Packaging (WxDxH)	305x125x155 mm
Net/ Gross weight	1.05/ 1.25kg
Loading Qty	10160



### Features



Spray & Steam  
Function



Indicated  
Light



Soft Grip  
Handle



Dry Ironing  
Function



Powerful Burst Steam  
& Vertical Steam  
Function



# IRON (STEAM)

## SIX-BLCS08

### Specifications



Product Color	Black
Plug	3 PIN
Watts	2700-3100W
Water tank (ml)	350
Product (WxDxH)	310x137x150 mm
Packaging (WxDxH)	333x170x192 mm
Net/ Gross weight	1.6/ 2.01kg
Loading Qty	5544



### Features



Spray & Steam  
Function



Indicated  
Light



Soft Grip  
Handle



Dry Ironing  
Function



Powerful Burst  
Steam & Vertical  
Steam Function



Nano Ceramic  
Soleplate



Anti-drip  
function



Anti-calc





# IRON (DRY)

DIX-GRAS01/DIX-RDAS02

### Specifications

Product Color	Grey/Red
Plug	2 PIN
Watts	1170W
Voltage	220-240V 50-60Hz
Product (WxDxH)	236.3X102X128.5 mm
Packaging (WxDxH)	258X107X139 mm
Net/ Gross weight	0.59/ 0.72kg
Loading Qty	15100

### Features



Dry Ironing  
Function



Adjustable  
Thermostat  
Control



Indicated  
Light



Soft Grip  
Handle





# IRON (HANDHELD STEAMER)

HSX-WTAC09

## Specifications

Product Color	White
Plug	3 PIN
Watts	1200W
Water tank (ml)	Detachable water tank :110+5ML fixed
Product (WxDxH)	248x80x116 mm
Packaging (WxDxH)	296x131x125 mm
Net/ Gross weight	0.72/ 0.96kg
Loading Qty	8860



## Features



Overheating  
Safety



Pre-heating  
Time : 35s



Two Steam  
Tips



90 Degree  
Rotatable  
Handle



Detachable  
Water Tank





# ANDROID T.V.


---

Experience entertainment in vivid brilliance with the SPJ android LED television. Immerse yourself in stunning visuals, crystal-clear sound & smart features for an unparalleled experience right in your living room!





## USB INPUT




Conveniently play media files directly from your USB drive, giving you the flexibility to enjoy your photos, videos, & music hassle-free.

## PICTURE QUALITY UP TO 4K UHD



Enjoy stunningly clear and detailed images with ultra-high-definition resolution, bringing your favourite shows and movies to life.

## SLIM DESIGN




A sleek and modern design that adds elegance to any space, making it a stylish addition to your home decor.

## SCREEN MIRRORING




Display content from your smartphone or tablet onto the TV screen wirelessly, enhancing multimedia sharing experiences.

## HDMI INPUT



Connects various devices like gaming consoles or laptops to the TV easily for high-quality audio and video transmission.

## INBUILT WIFI OPTION



Easily connect to the internet wirelessly, allowing access to streaming services, online content, & smart features without additional cables.



# LED TELEVISION - ANALOG LED

## LEDBLW-171A027

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	199
Power Rating	100-240v ~ 50/ 60Hz
Power Consumption	≤0.5W
Product/ Packaging (WxDxH)	525x96x390/ 518x90x390 mm
Net / Net(with stand)/ Gross weight	3.81kg/ 3.85kg/ 4.55kg
Loading Capacity	4300



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)

## LEDBLW-191A028

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	199
Power Rating	100-240V~ 50/60Hz
Power Consumption	≤0.5W
Product/ Packaging (WxDxH)	455x90x398/ 475x98x342 mm
Net / Net(with stand)/ Gross weight	2.86kg/ 2.9kg/ 3.5kg
Loading Capacity	3900



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)

## LEDBLS-241A005

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	199
Power Rating	100-240V~ 50/60Hz
Power Consumption	≤0.5W
Product/ Packaging (WxDxH)	590x96x406/ 590x98x376mm
Net / Net(with stand)/ Gross weight	4.16kg/ 4.2kg/ 5kg
Loading Capacity	3300



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)



# LED TELEVISION - DIGITAL LED

## LEDBLW-17ID029

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV:99, DTV:1000(T2+C)
Power Rating	100-240V~ 50/60Hz
Power Consumption	≤0.5W
Product/ Packaging (WxDxH)	525x96x390/ 518x90x390 mm
Net / Net(with stand)/ Gross weight	3.81kg/ 3.85kg/ 4.55kg
Loading Capacity	4300



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)

## LEDBLW-19ID030

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV:99, DTV:1000(T2+C)
Power Rating	100-240V~ 50/60Hz
Power Consumption	≤0.5W
Product/ Packaging (WxDxH)	455x90x398/ 475x98x342 mm
Net / Net(with stand)/ Gross weight	2.86kg/ 2.9kg/ 3.5kg
Loading Capacity	3900



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)

## LEDBLU-24ID016

### Specifications

TV system	PAL B/G D/K I, SECAM B/G D/K
AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV:99, DTV:1000(T2+C)
Power Rating	100-240V~ 50/60Hz
Dtv system	Dvb-t/c/t2
Product/ Packaging (WxDxH)	590x96x406/ 590x98x376 mm
Net / Net(with stand)/ Gross weight	4.16kg/ 4.2kg/ 5kg
Loading Capacity	3300



### Features



USB  
Input



HDMI  
Input



Sound  
Mode



Picture  
Mode



Max Audio  
Output Power  
(3w+3w)



# LED TELEVISION - ANALOG LED

## LEDBLS-32IA006

### Specifications

AV system	PAL, SECAM, NTSC
Max storage channel	99
Max audio output power	8W+8W(8Ω)
Product/ Packaging (WxDxH)	725.1x69x426.8/ 760x83x460 mm
Net / Net(with stand)/ Gross weight	3.43kg/ 3.5kg/ 4.2kg
Power rating	100-240v ~ 50/60Hz
Loading capacity	2755



### Features



USB  
Input



HDMI  
Input



Energy  
Saving



Multilingual  
Menu



Analog



Slim  
Design



HD Picture  
Quality

## LEDBLT-43IA009

### Specifications

AV system	PAL, SECAM, NTSC
Max storage channel	255
Max audio output power	8W+8W
Product/ Packaging (WxDxH)	943.8x83x528.5/ 1015x113x605 mm
Net / Net(with stand)/ Gross weight	28.30kg/ 29kg/ 41.5kg
Power rating	100-240v ~ 50/60Hz
Loading capacity	1190



### Features



USB  
Input



HDMI  
Input



Energy  
Saving



Multilingual  
Menu



Analog



Slim  
Design



FHD(1080p)  
Picture Quality





# LED TELEVISION - DIGITAL LED

## LEDBLU-321D017

### Specifications

AV system	PAL, SECAM, NTSC
Max storage channel	ATV : 100 ; DTV(T+C) : 2000
Max audio output power	8W+8W(8Ω)
Product/ Packaging (WxDxH)	725.1x69x426.8/ 760x83x460 mm
Net / Net(with stand)/ Gross weight	3.43kg/ 3.5kg/ 4.2kg
Power rating	100-240v ~ 50/60Hz
Loading capacity	2755



### Features



USB  
Input



HDMI  
Input



Energy  
Saving



Multilingual  
Menu



Digital  
Availability



Slim  
Design



HD Picture  
Quality

## LEDBLU-431D019

### Specifications

AV system	PAL, SECAM, NTSC
Max storage channel	Atv=99ch,dtv:2000ch (t/t2/c) 5000ch(s/s2)
Max audio output power	8W+8W(8Ω)
Product/ Packaging (WxDxH)	964x95x568/ 1040x102x630 mm
Net / Gross weight	6.4kg/ 8.2kg
Power rating	100-240v ~ 50/60Hz
Loading capacity	1190



### Features



USB  
Input



HDMI  
Input



Energy  
Saving



Multilingual  
Menu



Digital  
Availability



Slim  
Design



FHD(1080p)  
Picture Quality





# ANDROID T.V.

## HDS32BL2200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x10W
Power consumption-tv on	34W
Product/ Product {with stand} (WxDxH)	716x80.2x423.6/ 716x196.7x474.8 mm
Packaging (WxDxH)	786x110x500 mm
Net / Net(with stand)/ Gross weight	3.4kg/ 3.5kg/ 4.9kg
Loading capacity	1535



### Features





## FHD43BL2200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x10W
Power consumption-tv on	85W
Product/ Product {with stand} (WxDxH)	954.9x80.9x556.5/ 954.9x219.5x607.4 mm
Packaging (WxDxH)	1075x121x646 mm
Net / Net(with stand)/ Gross weight	5.7kg/ 5.8kg/ 8.2kg
Loading capacity	836



### Features





# ANDROID T.V.

## 4KS50BL3200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x12W
Power consumption-tv on	64W
Product/ Product {with stand} (WxDxH)	1111.2x87.8x644.3 / 1111.2x288x712 mm
Packaging (WxDxH)	1250x135x760 mm
Net / Net(with stand)/ Gross weight	9kg/ 9.2kg/ 12.5kg
Loading capacity	486



### Features



## 4KS55BL3200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x12W
Power consumption-tv on	76W
Product/ Product {with stand} (WxDxH)	1225.8x87.9x709.1/ 1225.8x229x777.2 mm
Packaging (WxDxH)	1350x135x830 mm
Net / Net(with stand)/ Gross weight	10.6kg/ 10.9kg/ 14.5kg
Loading capacity	447



### Features




## 4KS65BL4200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x12W
Power consumption-tv on	94W
Product/ Product {with stand} (WxDxH)	1446.4x85.1x830.8/ 1446.4x330.5x904.8 mm
Packaging (WxDxH)	1600x164x960 mm
Net / Net(with stand)/ Gross weight	16.8kg/ 17.2kg/ 23.2kg
Loading capacity	204



### Features





# ANDROID T.V.

## 4KS75BL4200V

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x12W
Power consumption-tv on	123W
Product/ Product {with stand} (WxDxH)	1668.1x88.3x956.4/ 1668.1x371.3x1030.8 mm
Packaging (WxDxH)	1840x190x1103 mm
Net / Net(with stand)/ Gross weight	23.1kg/ 23.5kg/ 33.5kg
Loading capacity	154

### Features




## 4KS85BL5200W

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x(15+15)W
Power consumption-tv on	151W
Product/ Product {with stand} (WxDxH)	1893.5x109.9x1096.6/1893.5x478.8x1197.6 mm
Packaging (WxDxH)	2050x230x1280 mm
Net / Net(with stand)/ Gross weight	43kg/ 46.8kg/ 63.5kg
Loading capacity	110

### Features




## 4KS98BL5200W

### Specifications

AV system	PAL, SECAM, NTSC
Channel	0000-9999
Audio power output (thd=7%)	2x(15+15)W
Power consumption-tv on	225W
Product/ Product {with stand} (WxDxH)	2182x109.9x1257.4/ 2182x478.8x1358.4 mm
Packaging (WxDxH)	2390x280x1500 mm
Net / Net(with stand)/ Gross weight	59kg/ 63kg/ 91kg
Loading capacity	40

### Features





# WEB OS

## HDS32BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption(0.5W)	(AC+DC):48W/DC:12V4A ; 60W
Product/ Product {with stand} (WxDxH)	725.1x69x426.8 /725.1x214.6x477.3 mm
Packaging (WxDxH)	770x93x470 mm
Net / Gross weight	3.5 kg/ 4.5 kg
Loading capacity	2415

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch

## FHDS42BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption	(4K/UHD):85W ; (2K/FHD):75W
Product/ Product {with stand} (WxDxH)	943.8x83x528.5 /943.8x194x572.5 mm
Packaging (WxDxH)	1015x113x605 mm
Net /Gross weight	5.4 kg /7.2 kg
Loading capacity	1036

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch

## FHDS43BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption	(4K/UHD):85W ; (2K/FHD):75W ;
Product/ Product {with stand} (WxDxH)	957x75x556 /957x221x611 mm
Packaging (WxDxH)	1040x102x630 mm
Net /Gross weight	6.4 kg /8.2 kg
Loading capacity	928

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch



# WEB OS

## 4KS50BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH
Max Audio Output Power	8W+8W
Power Consumption	(FHD/UHD):120W(80W)
Product/ Product {with stand} (WxDxH)	1122x75.5x648 /1122x258x709 mm
Packaging (WxDxH)	1215x107x756 mm
Net /Gross weight	8.75 kg /11.3 kg
Loading capacity	702

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption(0.5W)	(4K/UHD):160W ; (2K/FHD):120W
Product/ Product {with stand} (WxDxH)	1233.5x75x712.5/ 1233.5x258.1x773.1 mm
Packaging (WxDxH)	1233.5x258.1x773.1 mm
Net / Gross weight	10.37 kg/ 13.15 kg
Loading capacity	590

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch

## 4KS65BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption	(UHD):200W
Product/ Product {with stand} (WxDxH)	1452.5x69.5x833.5 /1452.5x258.1x894.8 mm
Packaging (WxDxH)	1587x122x885 mm
Net /Gross weight	17.5 kg /22.5 kg
Loading capacity	443

### Features



Magic Remote



Dolby Atmos



2 Remotes



Apple Air Play



Apple Air Home



Netflix



Amazon Prime



Twitch



# WEB OS

## 4K75BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV: 99CH, DTV: 800CH
Max Audio Output Power	8W+8W
Power Consumption	(UHD):320W ; (UHD):220W ; (UHD):220W
Product/ Product {with stand} (WxDxH)	11667x83x956 /1667x335x1025 mm
Packaging (WxDxH)	1820x138x1080 mm
Net /Gross weight	19kg / 28kg
Loading capacity	204

### Features




## 4KS85BLX

### Specifications

AV system	PAL, SECAM, NTSC
Max Storage Channel	ATV+T2=3000CH; S2:6000CH;
Max Audio Output Power	8W+8W
Power Consumption(0.5W)	(UHD):240W
Product/ Product {with stand} (WxDxH)	1889.6x89.4x1086.6/ 1889.6x395x1162.4 mm
Packaging (WxDxH)	2040x180x1215 mm
Net / Gross weight	29 kg/ 41.5 kg
Loading capacity	138

### Features





# MICROWAVE

Elevate your kitchen with the unmatched performance of the SPJ Microwave Oven, & experience a new level of culinary excellence.





# MICROWAVE

## MWBLU-20L002

### Specifications

Capacity	20L
Power	1200W
Operation Frequency	2450MHz
Oven Cavity Dimensions	198(H)x315(W)x297(D) mm
Outside Dimensions	262(H)x452(W)x348(D) mm
Carton Box Dimensions	496(L)x389(W)x292(H) mm
Net / Gross Weight	Approx. 10.8/ 11.8kg
Loading Capacity	1290



### Features



Powerful Motor



230-240/50hz



700w Output Power



Mechanical Control



Automatic Keep Warm Function

## MWSLU-20L003

### Specifications

Capacity	20L
Power	1200W
Operation Frequency	2450MHz
Oven Cavity Dimensions	198(H)x315(W)x297(D) mm
Outside Dimensions	262(H)x452(W)x335(D) mm
Carton Box Dimensions	496(L)x380(W)x292(H) mm
Net / Gross Weight	Approx. 10.7/ 11.7kg
Loading Capacity	1350



### Features



Powerful Motor



230-240/50hz



700w Output Power



Mechanical Control



Defrost

## MWBLU-25L004

### Specifications

Capacity	25L
Power	1400W
Operation Frequency	2450MHz
Oven Cavity Dimensions	220(H)x340(W)x344(D) mm
Outside Dimensions	281(H)x483(W)x415(D) mm
Carton Box Dimensions	547(L)x456(W)x337(H) mm
Net / Gross Weight	Approx. 13.9/ 14.9kg
Loading Capacity	860



### Features



Powerful Motor



230-240/50hz



900w Output Power



Digital Display



6 Power Levels



Auto & Speed Defrost



# MICROWAVE

## MWBLU-28L005

### Specifications

Capacity	28L
Power	1400W
Operation Frequency	2450MHz
Oven Cavity Dimensions	220(H)x354(W)x358(D) mm
Outside Dimensions	300(H)x539(W)x402(D) mm
Carton Box Dimensions	608(L)x468(W)x366(H) mm
Net / Gross Weight	Approx. 16.3/ 17.3kg
Loading Capacity	679



### Features



Powerful  
Motor



230-240/50hz



900w Output  
Power



Digital  
Display



With Grill  
(1000w Grill Power)



Jet Defrost  
Function





# ELECTRIC OVEN

## EOW-BR80L01

### Specifications

Capacity	80L
Power	2400W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Brown
Product (WxDxH)	699x470x424 mm
Packaging (WxDxH)	754x535x481 mm
Net/ Gross Weight	14.4/ 16.88kg
Loading Qty	375



### Features



120 Minute  
Timer



70-250°C  
Thermostat



Low-e-glass



14" Non-stick  
Pizza Pan



With  
Accessories

## EOW-BR100L02

### Specifications

Capacity	100L
Power	2800W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Brown
Product (WxDxH)	739x510x464 mm
Packaging (WxDxH)	785x575x526 mm
Net/ Gross Weight	16.26/ 18.52kg
Loading Qty	300



### Features



120 Minute  
Timer



70-250°C  
Thermostat



Low-e-glass



14" Non-stick  
Pizza Pan



With  
Accessories

## EOW-BR120L03

### Specifications

Capacity	120L
Power	2800W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Brown
Product (WxDxH)	762x514x446 mm
Packaging (WxDxH)	830x570x560 mm
Net/ Gross Weight	16.28/ 18.91kg
Loading Qty	252



### Features



120 Minute  
Timer



70-250°C  
Thermostat



Low-e-glass



14" Non-stick  
Pizza Pan



With  
Accessories



# ELECTRIC OVEN

## EOW-BR150L04

### Specifications

Capacity	150L
Power	2800W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Brown
Product (WxDxH)	856x610x464 mm
Packaging (WxDxH)	915x645x525 mm
Net/ Gross Weight	20.04/ 24.32kg
Loading Qty	215



### Features



120 Minute  
Timer



70-250°C  
Thermostat



Low-e-glass



14" Non-stick  
Pizza Pan



With  
Accessories

## EOX-SS21L05

### Specifications

Capacity	21L
Power	1200W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	SS+Black
Product In/ Out	335x285x220/ 460x353x268mm
Packaging	500x406x318 mm
Net/ Gross Weight	5.35/ 6.4kg
Loading Qty	1100



### Features



60 Minutes  
Timer With  
Bell Ring



70-250°C  
Adjustable



Stainless Steel  
Heating Elements



3 control  
knobs



With  
Accessories

## EOHX-SS21L06

### Specifications

Capacity	21L
Power	1200W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	SS+Black
Product In/ Out	335x285x220/ 460x353x283mm
Packaging	500x406x333 mm
Net/ Gross Weight	7.5/ 8.55kg
Loading Qty	1100



### Features



60 Minutes  
Timer With  
Bell Ring



70-250°C  
Adjustable



Stainless Steel  
Heating Elements



3 control  
knobs



With  
Accessories



2 Hotplates



# ELECTRIC OVEN

## EOX-SS30L07

### Specifications

Capacity	30L
Power	1500W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	SS+Black
Product In/ Out	352x342x254/ 490x413x300mm
Packaging	530x463x360 mm
Net/ Gross Weight	7/ 8.15kg
Loading Qty	750



### Features



60 Minutes  
Timer With  
Bell Ring



70-230°C  
Adjustable



Stainless Steel  
Heating Elements



3 control  
knobs



With  
Accessories

## EOX-SS45L08

### Specifications

Capacity	45L
Power	1700W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	SS+Black
Product In/ Out	430x341.5x310/ 580x415x357mm
Packaging	622x442x415 mm
Net/ Gross Weight	8.8/ 10.35kg
Loading Qty	590



### Features



60 Minutes  
Timer With  
Bell Ring



70-230°C  
Adjustable



Stainless Steel  
Heating Elements



4 control  
knobs



With  
Accessories

## EOX-SS60L09

### Specifications

Capacity	60L
Power	1900W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	SS+Black
Product In/ Out	430x341.5x360/ 580x415x407mm
Packaging	622x470x465 mm
Net/ Gross Weight	9.44/ 11kg
Loading Qty	500



### Features



60 Minutes  
Timer With  
Bell Ring



70-230°C  
Adjustable



Stainless Steel  
Heating Elements



4 control  
knobs



With  
Accessories



# REFRIGERATOR

Revolutionize your kitchen with the SPJ Refrigerator, a perfect fusion of sleek design and advanced technology. Enjoy energy-efficient cooling and smart features that keep your food fresh and organized. Elevate your home with this ultimate blend of style and functionality.






## MOVABLE GLASS SHELVES



Adjust shelves to fit your needs, making organizing groceries easy and flexible.

## WATER DISPENSER



Enjoy chilled water without opening the fridge, saving energy and adding convenience.

## CRISPER BOX



Extend produce life with a dedicated compartment regulating humidity levels for optimal freshness.

## TOUCH CONTROL PANEL



Easily adjust & monitor temperature settings with precise electronic controls for optimal storage.

## INNOVATIVE GASKET



Lock in freshness and prevent spills with an advanced, tight-sealing gasket design.

## SUPER COOL A SUPER FREEZE



Rapidly Chill or Freeze items for prolonged freshness, ideal for beverages & leftovers.



# REFRIGERATOR SIDE BY SIDE

## RF-BLT699C

### Specifications

Net Volume	520L
Fridge/ freezer volume	342/ 178 liters
Color	Black
Product (WxDxH)	910x670x1770 mm
Packaging (WxDxH)	972x710x1862 mm
Loading capacity	48
Net/ Gross weight	93kg/ 100kg

### Features





## FOUR DOORS

### RFD-4INU559C

#### Specifications

Net Volume	424L
Fridge/ freezer volume	297/ 127 liters
Color	Inox
Product (WxDxH)	833x678x1850 mm
Packaging (WxDxH)	912x727x1951 mm
Loading capacity	51
Net/ Gross weight	95kg/ 106kg

#### Features



No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Crisper Drawer



Inverter compressor



Low Noise Design



Refrigerant R600a



Water Dispenser



### RFG-4BSU559C

#### Specifications

Net Volume	428L
Fridge/ freezer volume	301/ 127 liters
Color	Blue silver
Product (WxDxH)	833x678x1850 mm
Packaging (WxDxH)	912x727x1951 mm
Loading capacity	51
Net/ Gross weight	102kg/ 113kg

#### Features



No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Crisper Drawer



Inverter compressor



Mirror Glass Door



Low Noise Design



Refrigerant R600a



### RFG-4BLU559C

#### Specifications

Net Volume	428L
Fridge/ freezer volume	301/ 127 liters
Color	Black glass
Product (WxDxH)	833x678x1850 mm
Packaging (WxDxH)	912x727x1951 mm
Loading capacity	51
Net/ Gross weight	102kg/ 113kg

#### Features



No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Crisper Drawer



Inverter compressor



Mirror Glass Door



Low Noise Design



Refrigerant R600a





# COMBI

## RFGD-BBLU429C

### Specifications

Net Volume	309L
Fridge/ freezer volume	220/ 89 liters
Color	Black mirror glass
Product (WxDxH)	635x620x1875 mm
Packaging (WxDxH)	701x652x1954 mm
Loading capacity	72
Net/ Gross weight	65kg/ 72kg

### Features



## RF-BINU399C

### Specifications

Net Volume	256L
Fridge/ freezer volume	186/ 70 liters
Color	Inox
Product (WxDxH)	545x545x1823 mm
Packaging (WxDxH)	584x584x1900 mm
Loading capacity	104
Net/ Gross weight	50kg/ 56kg

### Features





# COMBI

## RF-BSLV229C

### Specifications

Net Volume	162L
Fridge/ freezer volume	120/ 42 liters
Color	Silver
Product (WxDxH)	498x515x1455 mm
Packaging (WxDxH)	535x545x1525 mm
Loading capacity	148
Net/ Gross weight	36kg/ 40kg

### Features



## RFD-BINX379C

### Specifications

Net Volume	263L
Fridge/ freezer volume	190/ 73 liters
Color	Inox
Product (WxDxH)	545x555x1780 mm
Packaging (WxDxH)	580x580x1835 mm
Loading capacity	105
Net/ Gross weight	49Kg/ 53Kg

### Features



## RF-BINX379C

### Specifications

Net Volume	263L
Fridge/ freezer volume	190/ 73 liters
Color	Inox
Product (WxDxH)	545x555x1780 mm
Packaging (WxDxH)	580x580x1835 mm
Loading capacity	105
Net/ Gross weight	49Kg/ 53Kg

### Features





# TOP MOUNT

## POSH-TMSW750C

### Specifications

Capacity	606L
Net Refrigerator/ freezer	446/ 160 liters
Color	Dark silver
Product (WxDxH)	836x743x1850 mm
Packaging (WxDxH)	885x776x1932 mm
Loading capacity	39
Net / Gross weight	88kg/ 98kg

### Features



Total No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Outside LED Display



Refrigerant R600a



Low Noise Design



Inverter Compressor



## POSH-TMSW650C

### Specifications

Capacity	538L
Net Refrigerator/ freezer	399/ 139 liters
Color	Dark silver
Product (WxDxH)	836x688x1850 mm
Packaging (WxDxH)	885x721x1932 mm
Loading capacity	55
Net / Gross weight	87kg/ 93kg

### Features



Total No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Outside LED Display



Powerful Compressor



Refrigerant R600a



Low Noise Design



## POSH-TMSW550C

### Specifications

Capacity	420L
Net Refrigerator/ freezer	319/ 101 liters
Color	Dark silver
Product (WxDxH)	706x686x1720 mm
Packaging (WxDxH)	755x740x1800 mm
Loading capacity	67
Net / Gross weight	66kg/ 74kg

### Features



Total No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Refrigerant R600a



Powerful Compressor



Low Noise Design



Outside LED Display





# TOP MOUNT

## POSH-TMSW450C

### Specifications

Capacity	286L
Net Refrigerator/ freezer	225/ 61 liters
Color	Dark Silver
Product (WxDxH)	545x620x1770 mm
Packaging (WxDxH)	584x656x1848 mm
Loading capacity	97
Net / Gross weight	52kg/ 58kg

### Features



Total No Frost



Adjustable Glass Shelves



Ice & Egg Tray



Inside LED Light



Low Noise Design



Powerful Compressor



Refrigerant R600a



## POSH-TMSW350C

### Specifications

Capacity	249L
Net Refrigerator/ freezer	191/ 58 liters
Color	Dark silver
Product (WxDxH)	545x600x1670 mm
Packaging (WxDxH)	578x625x1712 mm
Loading capacity	102
Net / Gross weight	48kg/ 55kg

### Features



Total No Frost



Adjustable Glass Shelves



Inside LED Light



Ice & Egg Tray



Low Noise Design



Powerful Compressor



Refrigerant R600a



## RF-TSLW270C

### Specifications

Capacity	211L
Net Refrigerator/ freezer	170/ 41 liters
Color	Dark grey
Product (WxDxH)	540x551x1428 mm
Packaging (WxDxH)	580x590x1490mm
Loading capacity	141
Net / Gross weight	38kg/ 41kg

### Features



Defrost



Adjustable Glass Shelves



Ice & Egg Tray



Inside Lamp & Crisper Drawer



Low Noise Design



Powerful Compressor



Recessed Handle



Mechanical Temperature Controller



Refrigerant R600a





# TOP MOUNT

## RFD-TSLW270C

### Specifications

Capacity	211L
Net Refrigerator/ freezer	170/ 41 liters
Color	Dark grey
Product (WxDxH)	540x551x1428 mm
Packaging (WxDxH)	580x590x1490 mm
Loading capacity	141
Net / Gross weight	38kg/ 41kg

### Features



Defrost



Adjustable Glass Shelves



Low Noise Design & Recessed Handle



Ice & Egg Tray



Inside Lamp & Crisper Drawer



Powerful Compressor



Water Dispenser



Mechanical Temperature Controller



Refrigerant R600a



## RF-TSLW160C

### Specifications

Capacity	138L
Net Refrigerator/ freezer	98/ 40 liters
Color	Dark grey
Product (WxDxH)	474x498x1282 mm
Packaging (WxDxH)	520x550x1315 mm
Loading capacity	184
Net / Gross weight	30kg/ 33kg

### Features



Defrost



Adjustable Glass Shelves



Ice & Egg Tray



Inside Lamp & Crisper Drawer



Low Noise Design



Powerful Compressor



Recessed Handle



Mechanical Temperature Controller



Refrigerant R600a



## RF-TSLW140C

### Specifications

Capacity	112L
Net Refrigerator/ freezer	87/ 25 liters
Color	Dark grey
Product (WxDxH)	474x498x1045 mm
Packaging (WxDxH)	520x550x1078 mm
Loading capacity	227
Net / Gross weight	26kg/ 29kg

### Features



Defrost



Adjustable Glass Shelves



Ice & Egg Tray



Inside Lamp & Crisper Drawer



Low Noise Design



Powerful Compressor



Recessed Handle



Mechanical Temperature Controller



Refrigerant R600a





# TOP MOUNT

## RF-INS229C

### Specifications

Capacity	165L
Net Refrigerator/ freezer	120/ 45 liters
Color	PCM inox
Product (WxDxH)	480x500x1535 mm
Packaging (WxDxH)	510x560x1620 mm
Loading capacity	150
Net / Gross weight	33kg/ 37kg

### Features



Frost Free



Adjustable  
Glass Shelves



Ice & Egg  
Tray



Inside  
LED Light



Crisper  
Drawer



Powerful  
Compressor



Lock & Key



Low Noise  
Design



Refrigerant  
R600a





# SINGLE DOOR

## RFS-120SLW



### Specifications

Total Gross(L/cu.ft)	90
Color	Silver
Energy consumption (kWh/24h)	0.3
Product (WxDxH)	455x425x845 mm
Packaging (WxDxH)	465x440x875 mm
Loading capacity	403
Net / Gross weight	16kg/ 18kg



### Features



Defrost



Adjustable  
Glass Shelves



Lock  
And Key



Inside  
Lamp



Crisper  
Drawer



Powerful  
Compressor



Ice Tray



Low Noise  
Design



Refrigerant  
R600a

## RFS-120BLW



### Specifications

Total Gross(L/cu.ft)	90
Color	Black
Energy consumption (kWh/24h)	0.3
Product (WxDxH)	455x425x845 mm
Packaging (WxDxH)	465x440x875 mm
Loading capacity	403
Net / Gross weight	16kg/ 18kg



### Features



Defrost



Adjustable  
Glass Shelves



Lock  
And Key



Inside  
Lamp



Crisper  
Drawer



Powerful  
Compressor



Ice Tray



Low Noise  
Design



Refrigerant  
R600a







# SHOWCASE CHILLERS

It provides a suitable condition that keeps food fresh & nutritious longer as no frost can be found in the refrigerator, which means you don't need to waste your cherished time to defrost.



## GLASS DOOR DISPLAY



Glass door displays enhance product visibility and attractiveness for customer appeal.

## TOP LIGHT BOX



This feature illuminates items, increasing visibility and boosting sales potential.

## POWERFUL COMPRESSOR




It maintains optimal temperature, preserving freshness and quality consistently.

## DOUBLE- LAYER TEMPERED GLASS



It ensures energy efficiency and product protection.

## QUIET OPERATION



Low noise design creates a peaceful shopping environment without disruptions.

## BIG CAPACITY CHILLER



Spacious storage offers versatile arrangement and ample display options for merchandise.



# SHOWCASE CHILLER

## SCCSTW-300C021

### Specifications

Volume	229 litres
Shell Material	Precoated Steel Sheet
Thermostat	Mechanics
Condenser	Back Condenser
Product (WxDxH)	525x555x1810 mm
Packaging (WxDxH)	582x624x1842 mm
Net / Gross Weight	44kg/ 49kg
Loading Capacity	101

### Features



Glass Door Display



Powerful Compressor



Inside LED Lights



Low Noise Design



Top Light Box



Double Layer Hollow Tempered Glass



Single Door



Refrigerant R600a



## SCCSTW-400C022

### Specifications

Volume	329 litres
Shell Material	Precoated Steel Sheet
Thermostat	Mechanics
Condenser	Back Condenser
Product (WxDxH)	595x575x2000 mm
Packaging (WxDxH)	652x624x2032 mm
Net / Gross Weight	54kg/ 59kg
Loading Capacity	72

### Features



Glass Door Display



Powerful Compressor



Inside LED Lights



Low Noise Design



Top Light Box



Double Layer Hollow Tempered Glass



Single Door



Refrigerant R600a



## SCCSTW-700C023

### Specifications

Volume	409 litres
Shell Material	Precoated Steel Sheet
Thermostat	Mechanics
Condenser	Condenser In Compressor Chamber
Product (WxDxH)	890x555x1915 mm
Packaging (WxDxH)	970x655x2005 mm
Net / Gross Weight	86kg/ 96kg
Loading Capacity	42

### Features



Glass Door Display



Powerful Compressor



Inside LED Lights



Low Noise Design



Top Light Box



Double Layer Hollow Tempered Glass



Double Hinged Door



Refrigerant R134A





# SHOWCASE CHILLER

## SCCSTW-900C024



### Specifications

Volume	609 litres
Shell Material	Precoated Steel Sheet
Thermostat	Electronic
Condenser	Condenser In Compressor Chamber
Product (WxDxH)	1180x587x1977 mm
Packaging (WxDxH)	1260x655x2105 mm
Net / Gross Weight	110kg/ 122kg
Loading Capacity	27

### Features



## SCCSTW-1100C025



### Specifications

Volume	809 litres
Shell Material	Precoated Steel Sheet
Thermostat	Electronic
Condenser	Condenser In Compressor Chamber
Product (WxDxH)	1430x625x1915 mm
Packaging (WxDxH)	1510x725x2025 mm
Net / Gross weight	123kg/ 141kg
Loading Capacity	22

### Features



## SCCSTW-1500C026



### Specifications

Volume	1200 litres
Shell Material	Precoated Steel Sheet
Thermostat	Electronic
Condenser	Condenser In Compressor Chamber
Product (WxDxH)	1780x625x2000 mm
Packaging (WxDxH)	1860x725x2105 mm
Net / Gross weight	163kg/ 183kg
Loading Capacity	19

### Features





# Cultivating Better Living





# AIRFRYER

Discover the magic of healthy cooking with an air fryer! Enjoy crispy, delicious meals with little to no oil, perfect for guilt-free indulgence. Quick, easy, and versatile for every kitchen.





# AIR FRYER

## AFX-WT2L01

### Specifications



Capacity	2L
Colour	Cream-colored
Power	800W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	280x200x240 mm
Gift Box Size	240x245x245 mm
Net./Gross Weight	1.857/ 2.618kg
Loading Capacity	3750

### Features



Temperature Adjustable  
80 ~200°C



Timer Up To  
60 Mins



Classic  
Dial Control



Non-stick  
coat




Ac Motor,  
Cooper Coil



SS304 heating  
element



Automatic  
shut-off with  
ready alert



## AFX-GR4L02

### Specifications



Capacity	4L
Colour	Black
Power	1200W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	349x240x286 mm
Gift Box Size	315x315x335 mm
Net./Gross Weight	3.265/ 4.454kg
Loading Capacity	1880

### Features



Temperature Adjustable  
80 ~200°C



Timer Up To  
60 Mins



Classic  
Dial Control



Non-stick  
coat



Ac Motor,  
Cooper Coil



SS304 heating  
element



Automatic  
shut-off with  
ready alert



## AFX-BL7L03

### Specifications



Capacity	7L
Colour	Black
Power	1500W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	365x365x392 mm
Gift Box Size	388x285x349 mm
Net./Gross Weight	5.139/ 7.045kg
Loading Capacity	1250

### Features



Temperature Adjustable  
80 ~200°C



Timer Up To  
60 Mins



Classic  
Dial Control



Non-stick  
coat



Ac Motor,  
Cooper Coil



SS304 heating  
element



Automatic  
shut-off with  
ready alert





# AIR FRYER

## AFX-GR11L04

### Specifications

Capacity	11L(5.5L+5.5L)
Colour	Grey
Power	1700W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	398x392x305 mm
Gift Box Size	454x450x383 mm
Net./Gross Weight	7.931/ 10.584kg
Loading Capacity	780



### Features



Temperature  
Adjustable  
60° -200°C



Timer Up To  
60 Mins



8 Digital Touch  
Display Colorful  
Screen



Non-stick  
coat



SS304 heating  
element



Automatic  
shut-off with  
ready alert









# JUICER

## JCU-IN500M01

### Specifications

Capacity	500ml(Juice Cup)
Motor Rpm & Watts	19500±15%RPM/ 400-450W
Switch	Knob Switch
Product/ Packaging (WxDxH)	293x209x409/ 342x230x412 mm
Master Box (WxDxH)	700x480x435 mm
Net/ Gross Weight	2.98/ 3.5kg
Carton Net/ Gross Weight	11.9/ 15.3kg
Loading Qty	1880



### Features

- Attached Stainless Steel Handling
- Double Safety Design: Safety Switch & Touching Switch
- Excellent Stainless Steel Juice Filter & Stainless Steel Blade
- Centrifugal Pattern Juicer, Juice & Sediment are Easily Separated
- 304 Stainless Steel(Bowl)
- Full Copper Motor

## JCV-OR500M02

### Specifications

Capacity	500ml(Juice Cup)
Motor Rpm & Watts	22500±15%RPM/ 90W
Switch	Key Switch
Product/ Packaging (WxDxH)	226x220x235/ 248x248x268 mm
Master Box (WxDxH)	760x512x288 mm
Net/ Gross Weight	1.9/ 2.25kg
Carton Net/ Gross Weight	11.4/ 14.5kg
Loading Qty	3672



### Features

- Safe: Slices & Squeezes With The Cover Closed
- High Efficiency: Squeezes 6 Oranges In 60 Seconds
- Convenient: Slices & Squeezes In Only One Operation
- The Most Efficient, Safest & Most Convenient Way Of Squeezing Citrus Fruit For You & Your Family
- Full Copper Motor





# BLENDER

## BDBLV-15L07

### Specifications

Capacity	1.5L(Big Jar), 50g(Grinding Cup)
Motor Rpm & Watts	19500±15%RPM/ 500W
Switch	Knob Switch
Product/ Packaging (WxDxH)	207x186x421/ 356x200x313 mm
Master Box (WxDxH)	616x371x650 mm
Net/ Gross Weight	2.45/ 2.85kg
Carton Net/ Gross Weight	14.7/ 18.5kg
Loading Qty	2772

### Features



2x Speed  
Selectable And  
'Pulse' Switch



Multi-functional  
Design For  
Blending,  
Grinding



Safe Operation  
& Over-heat  
Protecting  
System



304 Stainless  
Steel  
(With 6  
Fins Blade)



Full Copper  
Motor



## BDBLV-15L08

### Specifications

Capacity	1.5L(Big Jar), 50g(Grinding Cup)
Motor Rpm & Watts	21000±15%RPM/ 300W
Switch	Knob Switch
Product/ Packaging (WxDxH)	206x171x385/ 192x192x418 mm
Master Box (WxDxH)	590x399x436 mm
Net/ Gross Weight	1.7/ 1.95kg
Carton Net/ Gross Weight	10.2/ 12.8kg
Loading Qty	4020

### Features



2x Speed  
Selectable And  
'Pulse' Switch



Multi-functional  
Design For  
Blending,  
Grinding



Safe Operation  
& Over-heat  
Protecting  
System



304 Stainless  
Steel  
(With 4  
Fins Blade)



Full Copper  
Motor



## BLINU-15L06

### Specifications

Capacity	1.5L(Big Jar), 50g(Grinding Cup)
Motor Rpm & Watts	19500±15%RPM/ 500W
Switch	Knob Switch
Product/ Packaging (WxDxH)	204x186x423/ 356x200x313 mm
Master Box (WxDxH)	727x415x333 mm
Net/ Gross Weight	3.95/ 4.35kg
Carton Net/ Gross Weight	15.9/ 18.4kg
Loading Qty	2728

### Features



2x Speed  
Selectable And  
'Pulse' Switch



Multi-functional  
Design For  
Blending,  
Grinding



Safe Operation  
& Over-heat  
Protecting  
System



304 Stainless  
Steel  
(With 6  
Fins Blade)



Full Copper  
Motor





# BLENDER

## BDX-BL500W

### Specifications

Power	500W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	200x173x375 mm
Gift Box Size	180x180x390 mm
Shipping Mark Size	375x375x415 mm
Net/ Gross Weight	1.70/ 2.00kg
Pcs/ Ctn	4
Pcs/ HQ	4760



### Features



2 Speeds  
Control  
With Pulse



Plastic Jar  
With 1.5L  
Capacity



Anti-slip  
Feet Design



Stainless  
Steel  
4-Blade



With Plastic  
Grinder Cup

## BDX-CR350W

### Specifications

Power	350W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	179x138x361 mm
Gift Box Size	177x155x364 mm
Shipping Mark Size	638x370x390 mm
Net/ Gross Weight	1.40/ 1.60kg
Pcs/ Ctn	8
Pcs/ HQ	6000



### Features



2 Speeds  
Control  
With Pulse



1.2L  
Plastic Jar



Anti-slip  
Feet Design



Stainless  
Steel  
4-Blade



With Plastic  
Grinder Cup

## BDX-SS350W

### Specifications

Power	300-350W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	156x125x350 mm
Gift Box Size	181x151x342 mm
Shipping Mark Size	470x377x367 mm
Net/ Gross Weight	1.40/ 1.60kgs
Pcs/ Ctn	6
Pcs/ HQ	6300



### Features



2 Speeds  
Control  
With Pulse



Blending jar  
Capacity: 1.0L  
(AS)



Anti-slip  
Feet Design



Stainless  
Steel  
4-Blade



With Plastic  
Grinder Cup



Elegant  
Design  
With S/S



# BLENDER

## BDX-WT300W

### Specifications

Power	300W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	156x121x340 mm
Gift Box Size	160x147x345 mm
Shipping Mark Size	461x335x370 mm
Net/ Gross Weight	1.10/ 1.30kg
Pcs/ Ctn	6
Pcs/ HQ	6300

### Features



With ON/OFF Switch



Blending jar Capacity: 1.0L (AS)



Anti-slip Feet Design



Stainless Steel 4-Blade



Elegant Design With Glossy Finishing



## BDX-BL300W

### Specifications

Power	300W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	156x121x340 mm
Gift Box Size	219x161x355 mm
Shipping Mark Size	500x455x380 mm
Net/ Gross Weight	1.20/ 1.50kg
Pcs/ Ctn	6
Pcs/ HQ	3900

### Features



With ON/OFF Switch



Blending jar Capacity: 1.0L (AS)



Anti-slip Feet Design



Stainless Steel 4-Blade



Elegant Design With Glossy Finishing



With Sport Cup Of 600ml



## BDX-SS1000W

### Specifications

Power	1000W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	210x180x400 mm
Gift Box Size	360x225x278 mm
Shipping Mark Size	467x375x584 mm
Net/ Gross Weight	3.70/ 4.20kgs
Pcs/ Ctn	4
Pcs/ HQ	2740

### Features



2 Speeds Control With Pulse



1.5L Glass Jar



Anti-slip Feet Design



Stainless Steel 4-Blade



With Plastic Grinder Cup



Plastic Body With S/S Decorating



Strong Function For Ice Crush, Juice Blending





# HAND BLENDER

## HBBLV-004



### Specifications

Capacity	600ml(Juice Cup)
Motor Rpm & Watts	22000±15%RPM/ 200W
Switch	Key Switch
Product/ Packaging (WxDxH)	65x61x386/ 248x248x268 mm
Master Box (WxDxH)	760x512x288 mm
Net/ Gross Weight	1.0/ 1.19kg
Carton Net/ Gross Weight	30/ 36.7kg
Loading Qty	12300

### Features



Easy Design  
For Blending



2 Speeds  
Selectable  
With Key  
Switch



600 ML  
Cup



Full Copper  
Motor



## HBX-SS1200W

### Specifications

Power	1000-1200W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	Φ65x402.8 mm
Gift Box Size	240x136x245 mm
Shipping Mark Size	425x255x515 mm
Net/ Gross Weight	1.25/ 1.50kg
Pcs/ Ctn	6
Pcs/ HQ	7320

### Features



Detachable  
Full Metal  
Blending Rod



2 Speeds  
+ Stepless  
Variable  
Speed



Stainless  
Steel Blade



With attachment:  
Whisk & 700ml  
mixing cup &  
500ml chopper



## HBX-RD600W

### Specifications

Power	600W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	Φ65x398 mm
Gift Box Size	240x136x245 mm
Shipping Mark Size	425x255x515 mm
Net/ Gross Weight	1.15/ 1.40kgs
Pcs/ Ctn	6
Pcs/ HQ	7320

### Features



Detachable  
S/S Blending  
Rod



Stepless  
Variable  
Speeds



Stainless  
Steel Blade



With attachment:  
Whisk & 700ml  
mixing cup &  
500ml chopper





# HAND BLENDER

HBX-WT400W

## Specifications

Power	400W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	Ø65x398 mm
Gift Box Size	170x115x227 mm
Shipping Mark Size	475x355x250 mm
Net/ Gross Weight	0.72/ 1.00kg
Pcs/ Ctn	8
Pcs/ HQ	13200



## Features



Detachable  
Plastic  
Blending Rod



2 Speeds



Stainless  
Steel Blade



With 700ml  
Mixing Cup





# HAND MIXER

HMXX-GR400W

## Specifications

Power	300-400W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	300x221x350 mm
Gift Box Size	320x230x285 mm
Shipping Mark Size	475x335x595 mm
Net/ Gross Weight	2.30/ 2.80kg
Capacity	4.0L
Pcs(Ctn)/ Pcs(HQ)	4/ 3040



## Features



5 speed  
+ Turbo



Turbo Function  
With Safety  
Device



With Chrom  
Beaters  
& Dough  
Hooks



Eject Button  
With Safety  
Device



Bowls Can Be  
Automatically  
Turned



With Base  
& Stainless  
Steel 304  
Bowl





# CHOPPER

## MVCU-BL12L01

### Specifications

Capacity	1.2L(mincing cup)
Motor Rpm & Watts	21000±15%RPM/ 300W
Switch	Key Switch
Product/ Packaging (WxDxH)	179x147x254/ 281x176x165 mm
Master Box (WxDxH)	577x548x352 mm
Net/ Gross Weight	1.05/ 1.25kg
Carton Net/ Gross Weight	12.1/ 16.1kg
Loading Qty	7380

### Features



Excellent  
Meat  
Grinder



With One Key  
To Operate  
Easily



Safe Operation  
Touching Point  
& Over-Heat  
Protecting System



304 Stainless  
Steel (With  
4 Fins Blade)



Full Copper  
Motor





# COFFEE MAKER

Start your mornings with the perfect brew! Introducing a cutting-edge coffee maker machine by SPJ, designed to elevate your coffee experience.





# COFFEE MAKER

## CMEW-SS20B01

### Specifications

Rated Power	1250-1450W
Professional Pressure	20-bar
Rated Voltage	220-240V
Product/ Packaging (WxDxH)	313x138x304/ 404x190x350 mm
Carton Box (LxWxH)	428x404x380 mm
Net / Gross Weight	3.9kg/ 4.65kg
Pcs/ Ctr	2
Loading Capacity	2145

### Features



Full Stainless-steel Housing



With Pressure Gauge



Detachable Drip Tray



Thermoblock Fast Heating System



1L Large Detachable Transparent Water Tank With Closing Lid



## CMDW-BL18L02

### Specifications

Rated Power	900W
Glass Jar	1.8L
Rated Voltage	220-240V
Product/ Packaging (WxDxH)	272x174x316/ 270x200x340 mm
Carton Box (LxWxH)	564x424x370 mm
Net / Gross Weight	1.67kg/ 1.94kg
Pcs/ Ctr	4
Loading Capacity	3120

### Features



30-second Anti-drip Function



Touch Screen Control



Boil-dry Protection



Clean & Iced Coffee Function



Automatic Power Off After 40minute (Include Brewing Time & Keep-warm Time)





# KETTLE

Introducing our state-of-the-art premium electric kettle, meticulously crafted to elevate your daily tea and coffee rituals to new heights of convenience, efficiency, and style.





## PREMIUM MATERIALS USE




SPJ kettles are made up of 304 stainless steel, glass, and Heat-resistant plastic, along with sleek designs and finishes to complement modern kitchen aesthetics.

## SAFETY FEATURES



Automatic shut-off mechanisms to prevent the kettle from boiling dry & boil-dry protection that automatically turns off the kettle when there is insufficient water inside.

## CORDLESS DESIGN



Cordless kettles sit on a separate base that connects to the power source, allowing for easy pouring and serving without the hassle of a cord.

## QUIET BOIL TECHNOLOGY



Specialized designs and materials can help reduce the noise produced during the boiling process, making for a quieter user experience.

## EASY TO CLEAN



Effortlessly maintains cleanliness with our easy-to-clean design, ensuring convenience and hygiene after every use.

## RAPID BOIL TECHNOLOGY



SPJ Kettles have rapid boil technology that can heat water much faster than traditional kettles, saving time & energy.



# ELECTRIC KETTLE

## EKU-SS1801

### Specifications

Capacity	1.8L
Power	1500W
Frequency	50Hz-60Hz
Packaging (WxDxH)	185x185x235 mm
Master Box (WxDxH)	760x380x490 mm
Net / Gross Weight (kgs/ctn)	11.30/ 14.40
Loading Capacity	7000
Color	Stainless Steel



### Features



304 Stainless Steel In Body



Cool Touch Handle



Boil-dry Protection

## EKU-BL1802

### Specifications

Capacity	1.8L
Power	1500W
Frequency	50Hz-60Hz
Packaging (WxDxH)	185x185x235 mm
Master Box (WxDxH)	760x380x490 mm
Net / Gross Weight (kgs/ctn)	13.10/ 15.00
Loading Capacity	7000
Color	Black



### Features



304 Stainless Steel In Body



Cool Touch Handle



Boil-dry Protection

## EKU-BL1803

### Specifications

Capacity	1.8L
Power	1500W
Frequency	50Hz-60Hz
Packaging (WxDxH)	210x175x253 mm
Master box (WxDxH)	860x365x526 mm
Net / Gross Weight (kgs/ctn)	15.50/ 18.50
Loading Capacity	6000
Color	Black



### Features



304 Stainless Steel In Body



Cool Touch Handle



Boil-dry Protection



# ELECTRIC KETTLE

## EKX-GL18L04

### Specifications

Capacity	2L
Product Net/ Gross Weight	0.88/ 1.1 kg
Master Box Net/ Gross Weight	12.6/ 13.6 kg
Product Size	215x160x225 mm
Gift Box Size	192x192x237 mm
Master Box Size	585x395x480 mm
Master Box Qty	12
Loading Capacity	7416



### Features



Borosilicate  
Glass



Compact  
Design



Copper  
Inside Wiring



304 SS  
Heating  
Element



Auto Power  
Cut Off

## EKX-SS18L05

### Specifications

Capacity	2L
Product Net/ Gross Weight	0.67/ 0.8 kg
Master Box Net/ Gross Weight	9.6/ 10.6 kg
Product Size	220x170x245 mm
Gift Box Size	203x165x230 mm
Master Box Size	625x340x475 mm
Master Box Qty	12
Loading Capacity	8160



### Features



304 Stainless  
Steel Body



Compact  
Design



Copper  
Inside Wiring



304 SS  
Heating  
Element



Auto Power  
Cut Off

## EKX-SS18L06

### Specifications

Capacity	2L
Product Net/ Gross Weight	0.67/ 0.77 kg
Master Box Net/ Gross Weight	9.12/ 10.12 kg
Product Size	220x170x245 mm
Gift Box Size	203x165x230 mm
Master Box Size	625x340x475 mm
Master Box Qty	12
Loading Capacity	8160



### Features



Compact  
Design



Copper  
Inside Wiring



304 SS  
Heating  
Element



Auto Power  
Cut Off







# GAS STOVE

Upgrade your cooking experience with a reliable gas stove! Offering precise flame control and even heat distribution, it's perfect for everything from quick meals to gourmet dishes. Durable, efficient, and a must-have for every kitchen.





# GAS STOVE

## TT-SSX1001

### Specifications

Material	Stainless Steel
Burner	90 mm
Product	370x280x80 mm
Packing	390x295x95 mm
Net. Weight	0.95kg
Gross Weight	1.3kg
HQ Qty	6500



### Features



Iron  
Beehive  
Burner



Black Pan  
Support



Auto Ignition  
With Plastic  
Knob



10.5mm  
Straight  
Gas Pipe

## TT-SSX2002

### Specifications

Material	Stainless Steel
Burner	90 mm/ 90 mm
Product	710x370x85 mm
Packing	715x385x95 mm
Net. Weight	2.10kg
Gross Weight	2.70kg
HQ Qty	2675



### Features



Iron  
Beehive  
Burner



Black Pan  
Support



Auto Ignition  
With Plastic  
Knob



10.5mm  
Straight  
Gas Pipe

## TT-GLX2003

### Specifications

Material	6mm Tempered Glass
Burner	90 mm/ 90 mm
Product	695x370x90 mm
Packing	700x388x95 mm
Net. Weight	5.2kg
Gross Weight	5.75kg
HQ Qty	2750



### Features



Iron  
Beehive  
Burner



Black Pan  
Support



Auto Ignition  
With Plastic  
Knob



10.5mm  
Straight  
Gas Pipe



Zinc  
Bottom



# PRESSURE & RICE COOKER

Upgrade your cooking experience with a reliable gas stove! Offering precise flame control and even heat distribution, it's perfect for everything from quick meals to gourmet dishes. Durable, efficient, and a must-have for every kitchen.





# RICE COOKER

## RCU04-WT1801

### Specifications

Capacity Of Inner Pot	4L
Power	700-833W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	White
Product (WxDxH)	316x266x292 mm
Gift Box/ Master Box (WxDxH)	275x275x272/ 570x290x564 mm
Net/ Gross Weight (kgs/ctn)	9.30/ 11.70kg
Loading Capacity	2700



### Features



1.8L Capacity



Automatic  
Keep Warm  
Function



Non-stick  
Aluminium  
Inner Pot



Serving Spoon  
& Measuring  
Cup



Aluminium  
Steamer



Stainless  
Steel Lid

## RCU02-SL0102

### Specifications

Capacity Of Inner Pot	2L
Power	400-477W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Silver
Product (WxDxH)	278x230x271 mm
Gift Box/ Master Box (WxDxH)	243x243x255/ 749x258x530 mm
Net/ Gross Weight (kgs/ctn)	10.92/ 13.76kg
Loading Capacity	3552



### Features



1L Capacity



Automatic  
Keep Warm  
Function



Non-stick  
Aluminium  
Inner Pot



Serving Spoon  
& Measuring  
Cup



Aluminium  
Steamer



Tempered  
Glass Lid

## RCU05-RD2203

### Specifications

Capacity Of Inner Pot	5L
Power	900-1071W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Red
Product (WxDxH)	325x288x335 mm
Gift Box/ Master Box (WxDxH)	302x302x302/ 624x317x624 mm
Net/ Gross Weight (kgs/ctn)	11.65/ 14.75kg
Loading Capacity	2100



### Features



2.2L Capacity



Automatic  
Keep Warm  
Function



Non-stick  
Aluminium  
Inner Pot



Serving Spoon  
& Measuring  
Cup



Aluminium  
Steamer



Tempered  
Glass Lid



# PRESSURE COOKER

PCU05-SS01

## Specifications

Capacity Of Inner Pot	5L
Power	900W
Voltage/ Frequency	220-240~/ 50-60Hz
Color	Stainless Steel
Product (WxDxH)	341x300x306 mm
Gift Box/ Master Box (WxDxH)	322x322x343/ 670x337x363 mm
Net/ Gross Weight (kgs/ctn)	9.65/ 11.90kg
Loading Capacity	1580



## Features



5L Capacity



Automatic  
Keep Warm  
Function



Double  
Non Stick  
Inner Pot



Serving Spoon  
& Measuring  
Cup



Stainless  
Steel Lid





# SPEAKER

Experience the beat of the future with our sleek, stylish speakers, where cutting-edge technology meets chic design for an audio experience that's as trendy as it is immersive.





## AC-DC FUNCTION



The SPJ Speaker works with both AC and DC power, providing versatility for different power sources & ensuring flexible operation in various situations.

## PREMIUM PERFORMANCE



Waterproof construction, and long-lasting battery life, our speakers are designed to deliver premium audio performance and convenience wherever you go.

## SAFETY PROTECTION



Built-in safeguards ensure durability, especially in harsh conditions.

## DIGITAL DISPLAY



The digital screen displays volume and track details clearly, aiding in easy monitoring and navigation of audio.

## REMOTE CONTROL



Adjust settings & manage speaker remotely for user convenience.

## VERSATILE CONNECTIVITY



Connects to devices via Bluetooth, FM, USB, MP3,SD, AUX inputs.



# SPEAKERS

## SS-BR001U

### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 135x240x350mm   Bar: 60x60x780mm
Packaging (WxDxH)	Sub: 182x308x400mm   Bar: 108x118x824mm
Net / Gross weight	Sub: 2.22kg   Bar: 1.43kg/ 4.65 kg
Loading Quantity	2030

### Features



AC/DC  
Function



Digital  
Display



Bluetooth | FM | USB  
TF | AUX IN | LED Display  
Coaxial | Optical | Remote



Speaker Units :  
5.25" \* 2" \* 2



Output Power (RMS) :-  
25w+15wx2



Remote  
Control

## SS-BR002U

### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 190x300x370mm   Bar: 60x60x950mm
Packaging (WxDxH)	228x412x494mm
Net / Gross weight	Sub: 4.14kg   Bar: 1.30kg / 6.41kg
Loading Quantity	1500

### Features



AC/DC  
Function



Digital  
Display



Bluetooth | FM | USB  
TF | AUX IN | LED Display  
Coaxial | Optical | Remote



Speaker Units :  
5.25" \* 2" \* 2



Output Power (RMS) :-  
25w+15wx2



Remote  
Control

## SS-3019W

### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 230x300x350mm   Sate: 110x80x330mm
Packaging (WxDxH)	350x424x392mm
Rated voltage	AC190V-240V 50/60h
Net / Gross weight	Sub: 4.14kg   Bar: 1.30kg / 6.41kg
Loading Quantity	1190

### Features



AC/DC  
Function



Digital  
Display



Bluetooth | FM | USB  
TF | AUX IN | LED Display  
Coaxial | Optical | Remote



Speaker Units  
6.5" \* 3" \* 3



Output Power (RMS) :-  
35w (Sub) + 10w (Speaker) \* 3



Remote  
Control



# SPEAKERS

## SS-3020W

### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 230x300x320mm   Sate: 110x80x330mm
Packaging (WxDxH)	335x424x362mm
Rated Voltage	AC190V-240V 50/60h
Net / Gross weight	Sub: 3.69kg / 4.69kg
Loading Quantity	1350



### Features



AC/DC  
Function



Digital  
Display



Bluetooth | FM | USB  
MP3 | SD | AUX IN  
Remote



Speaker Units :  
6.5" \* 3" \* 3



Output Power (RMS) :-  
35w (Sub)+10w (Speaker)\*3



Remote  
Control

## BLASTER-W510IBL

### Specifications

Color	Black
BT Range	10 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 230x300x350mm   Sat: 230x300x350mm
Packaging (WxDxH)	Sub: 520x328x498mm   Sat: 1188x524x135mm
Net / Gross weight	Sub: 10.39kg   sat: 3.25kg / 15.64kg
Loading Quantity	400



### Features



USB | SD | FM  
BT | RT | Karaoke



Speaker Units :  
10" \* 3" \* 5



RMS Power-  
100w+20w\*5



Remote  
Control



Digital  
Display

## BLASTER-W10IBL

### Specifications

Color	Black
BT Range	10 Meters
Remote distance	10 Meters
Product (WxDxH)	162x333x920mm
Packaging (WxDxH)	445x430x990mm
Net / Gross weight	26.72kg/ 27.72kg
Loading Quantity	350



### Features



Rms Power  
Subwoofer  
100w\*2



Led  
Display



USB | SD | FM  
Bluetooth  
LED Display



Karaoke | optical  
HDMI  
Touch Panel



1pc Wireless  
Microphone



Speaker Units :  
10" \* 2 + 4" \* 4 + 1.5" \* 2



Remote  
Control



# SPEAKERS

## SS-3001T



### Specifications

Color	Black
BT Range	10 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: 200x332x380mm Sate: 120x96x380mm I Sate: 380x96x120mm
Packaging (WxDxH)	452x452x385mm
Net / Gross weight	9.93kg/ 10.93kg
Loading Quantity	875

### Features



USB | SD | FM  
BT | RT | Karaoke



Speaker Units :  
8"×3"×3



RMS Power-  
80w+18w×3



Remote  
Control



Digital  
Display



## SS-3021X



### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: H350xW230xD300mm, Sat:H350xW100xD70mm
Packaging (WxDxH)	424x350x392MM
Net / Gross weight	6.45/ 7.45 Kgs
Loading Quantity	1190

### Features



USB | SD | FM  
BT | RT | Karaoke



Speaker Units  
6.5"×3"×3



Output Power  
(RMS) - 30W+10W×3



Remote  
Control



Digital  
Display



## SS-3022X



### Specifications

Color	Black
BT Range	20-30 Meters
Remote distance	10 Meters
Product (WxDxH)	Sub: H350xW230xD300 mm, Sat: H350xW100xD70 mm
Packaging (WxDxH)	424x350x392 mm
Net / Gross weight	6.32kg/ 7.32kg
Loading Quantity	1190

### Features



USB | SD | FM  
BT | RT | Karaoke



Speaker Units :  
10"×3"×5



RMS Power-  
100w+20w×5



Remote  
Control



Digital  
Display





# STANDING FAN

Stay cool and comfortable with a powerful standing fan! Designed for optimal air circulation, it's perfect for any space with adjustable height and speed settings. A stylish and efficient way to beat the heat.





# STANDING FAN

## SFX-BLR18011

### Specifications

Size	18"
Colour	Black
Power	80W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	500x435x1450 mm
Box Size	585x145x600 mm
Net./Gross Weight	6.9 / 7.9kg
Loading Capacity	1340

### Features



145x14mm  
Grill Guard



Digital Display  
With Remote  
Control



7.5-hour  
Timer



Silent  
Operation



Energy-efficient  
design



6 Blades  
With 3 Speed  
Settings

## SFX-BLFC18012

### Specifications

Size	18"
Colour	Black
Power	50W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	500x500x130 mm
Box Size	650x520x170 mm
Net./Gross Weight	7.3/ 8.3kg
Loading Capacity	2300

### Features



Plastic  
Guard



5 AS OX Blades  
3-speed  
settings



360° Oscillation  
For Optimal  
Airflow



Silent  
Operation



Energy-efficient  
design

## SFX-SL3T18013

### Specifications

Size	18"
Colour	Black & Silver
Power	50W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	500x500x130 mm
Box Size	620x520x170 mm
Net./Gross Weight	8.0/ 9.0kg
Loading Capacity	2450

### Features



Zinc-painted  
Grill Guard



3 Metal  
Blades



3-speed  
Settings With  
Regulator



Silent  
Operation



Energy-efficient  
design



# STANDING FAN

## SFX-GR16015



### Specifications

Size	16"
Colour	Grey
Power	45W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	445x445x140 mm
Box Size	490x130x570 mm
Net./Gross Weight	5.4/ 6.2kg
Loading Capacity	1875

### Features



120pcs Grill  
Guard



5 AS blades  
3-speed  
settings



60-minute  
Timer



Silent  
Operation



Energy-efficient  
design



## SFX-GRDC16016



### Specifications

Size	16"
Colour	Grey
Power	35W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	43x38x130 cm
Box Size	63.8x13x57 cm
Net./Gross Weight	4.7/ 5.5kg
Loading Capacity	1450
Working Speed (High/Middle/Low)	4.5/6.5/22 Hours

### Features



32 Powerful  
SMD Lights For  
Illumination



Remote  
Control For  
Easy Use



0.5-hour  
Timing  
Function



Silent  
Operation



Energy-efficient  
design



9-speed  
settings for  
customizable  
airflow





# STANDING FAN

## SFX-BRDC16017

### Specifications

Size	16"
Colour	Brown
Power	35W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	43x38x130 cm
Box Size	63.8x13x57 cm
Net./Gross Weight	4.7/ 5.5kg
Loading Capacity	1450
Working Speed (High/Middle/Low)	4.5/6.5/22 Hours

### Features



32 Powerful SMD Lights For Illumination



Remote Control For Easy Use



0.5-hour Timing Function



Silent Operation



Energy-efficient design



9-speed settings for customizable airflow



## SFX-GRDC18018

### Specifications

Size	18"
Colour	Grey
Power	40W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	49x38x133 cm
Box Size	63.8x13x63.2 cm
Net./Gross Weight	5.3/ 6.1kg
Loading Capacity	1290
Working Speed (High/Middle/Low)	3.5/6/18 Hours

### Features



32 Powerful SMD Lights For Illumination



Remote Control For Easy Use



0.5-hour Timing Function



Silent Operation



Energy-efficient design



9-speed settings for customizable airflow





# CEILING FAN

CFX-WT56014

## Specifications

Size	56"
Colour	White
Power	75W
Voltage, Frequency	220-240V, 50/60Hz
Product Size	56 inch
Box Size	24.8x24.8x20/ 75.5x32.7x21.7 cm(Blades)
Net./Gross Weight	15.5/ 17.0kg
Loading Capacity	3807



## Features



100% Copper Wire Motor



3 Metal Blades



5-speed Capacitor Regulator



High Air Delivery For Effective Cooling





# UPRIGHT FREEZER

Unlock the potential of preservation with SPJ's Upright Freezer. Designed for seamless organization & optimal storage, it's your gateway to freshness & convenience.





## BIG DRAWERS



Say hello to streamlined freshness with our refrigerator's expansive big drawers, to keep your meals fresh and inspired.

## 7- LAYER (EVAPORATOR) SHELVES



Seven evaporator shelves evenly cool frozen goods, preserving freshness for extended periods.

## FOUR ADJUSTABLE FEET




Four adjustable feet ensure stability on uneven surfaces for optimal freezer performance.

## R134A REFRIGERANT



Eco-friendly refrigerant efficiently cools while minimizing harm to the ozone layer.

## EXTERNAL CONDENSER



Outer placement maximizes storage & enhances cooling, boosting usability and energy efficiency.

## HIGH QUALITY MATERIAL



Our freezer's strong construction ensures long-lasting performance, providing a secure and dependable storage solution for your frozen goods.



# UPRIGHT FREEZER

## UDF-SLW225C

### Specifications

Capacity	190L
Refrigeration	Defrost
Voltage / Frequency	220-240V/ 50HZ
Product (WxDxH)	550x546x1414 mm
Packaging (WxDxH)	585x585x1452 mm
Net / Gross Weight	41.4/ 44.8kg
Loading Capacity	144

### Features



4 Adjustable Feet



1 Drawer (Plastic)



R134a Refrigerant



Thick Outside + inside Condenser



7 Layers (Evaporator) Shelves



## UDF-SLW400C

### Specifications

Capacity	310L
Refrigeration	Defrost
Voltage / Frequency	220-240V/ 50HZ
Product (WxDxH)	600x620x1690 mm
Packaging (WxDxH)	662x650x1732 mm
Net / Gross Weight	52/ 57kg
Loading Capacity	80

### Features



4 Adjustable Feet



7 Drawer (Plastic)



R600a Refrigerant



Outside Condenser



## UDF-SLW600C

### Specifications

Capacity	490L
Refrigeration	No Frost
Voltage / Frequency	220-240V/ 50HZ
Product (WxDxH)	830x738x1686 mm
Packaging (WxDxH)	870x796x1764 mm
Net / Gross Weight	77/ 88kg
Loading Capacity	43

### Features



4 Freezing Shelves



R600a Refrigerant



Door Display



Inverter Compressor





# VACUUM CLEANER

Power-packed suction, sleek design, and whisper-quiet operation. Say goodbye to dust and hello to a cleaner, fresher home !





## DUST FULL INDICATOR




Our vacuum cleaners feature intuitive indicator lights, providing real-time feedback on important functions such as battery life, filter status & brush roll maintenance.

## 100% COPPER MOTOR




Provides powerful and reliable performance, ensuring consistent suction power for thorough cleaning of various surfaces.

## USEFUL AIR BLOWING FUNCTION



Allows you to blow away dust and debris from hard-to-reach areas, making cleaning more comprehensive and convenient.

## EASY PARKING NOZZLE




Provides a hassle-free solution for storing the vacuum when not in use, keeping it neatly organized and readily accessible.

## SOLID A DURABLE IRON TANK



Ensures long-lasting durability and resilience, capable of withstanding tough cleaning tasks while maintaining optimal performance.

## FRESH OUTLOOK DESIGN



Features a modern and stylish design that adds a touch of elegance to your cleaning routine, blending seamlessly with any home decor.



# VACUUM CLEANER

## DVCW-BL22L01

### Specifications

Capacity	22L
Color	Black
Power	1600W
Rated Voltage	220-240V~
Product Dimensions	350x417x578 mm
Packing Dimensions	435x385x625 mm
Net / Gross Weight	6.4/ 7.9kg
Loading Capacity	670



### Features



Dust Full Indicator



Useful Air Blowing Function



Adjustable Suction Power On Handle



Multi-filtration System, High Efficiency



100% Copper Motor



Easy Parking Nozzle



Fresh Outlook Design



Solid & Durable Iron Tank

## DVCW-BL25L02

### Specifications

Capacity	25L
Color	Black
Power	2000W
Rated Voltage	220-240V~
Product Dimensions	350x417x623 mm
Packing Dimensions	435x385x665 mm
Net / Gross Weight	6.6/ 8.2kg
Loading Capacity	630



### Features



Useful Air Blowing Function



Dust Full Indicator



Hi-suction Power With Low Noise Level



Multi-filtration System, High Efficiency



100% Copper Motor



Convenient Accessories Holder



Parking Position For Easy Use And Space Saving



Solid & Durable Iron Tank



Fresh Outlook Design





# WASHING MACHINE

Revolutionize your laundry routine with our innovative front door washing machine, blending cutting-edge technology with contemporary design for a trendy and convenient solution to your cleaning needs. Say goodbye to hassle and hello to style with every load.






## LED DISPLAY



Displays settings and cycle status for easy operation and monitoring during laundry.

## MULTIPLE WASHING PROGRAMS



Various options cater to fabric types and soil levels for optimal cleaning results.

## FULLY AUTOMATIC



With intuitive features like automatic water level detection, multiple wash programs, and a digital display for effortless operations.

## ENERGY EFFICIENCY CLASS A+++



Highly efficient design saves electricity, lowers bills, and reduces environmental impact.

## DOUBLE LAYER FRONT DOOR



Enhances insulation, reduces noise, and adds durability and sleek appearance.

## POWERFUL MOTOR 200-240/50HZ



Ensures thorough cleaning, even for heavily soiled clothes, with strong performance.



# WASHING MACHINE

## FLGRU-6FAM/ FLFAMX- 6KGR/ FLFAMX- 6KWT

### Specifications

Capacity	6.0kg
Color	Dark Grey/ Grey/ White
Energy consumption	152 kwh/year
Product (WxDxH)	595x470x850 mm
Packaging (WxDxH)	650x510x890 mm
Net / Gross weight	53kg/ 56kg
Loading Capacity	244

### Features



Rpm-1000



LED Display



Fully Automatic



Single Layer Front Door



Multiple Washing Programs



Powerful Motor 200-240/50hz



Energy Efficiency Class- A+++

### Specifications

Capacity	8.0kg
Color	Dark Grey / Grey / White
Energy consumption	194 kwh/year
Product (WxDxH)	595x520x850 mm
Packaging (WxDxH)	650x575x890 mm
Net / Gross weight	60kg/ 63kg
Loading Capacity	214

### Features



Rpm-1200



LED Display



Fully Automatic



Single Layer Front Door



Multiple Washing Programs



Powerful Motor 200-240/50hz



Energy Efficiency Class- A+++

## FLGRU-10FAM/ FLFAMX-10KGR/ FLFAMX-10KWT

### Specifications

Capacity	10.0kg
Color	Dark Grey / Grey / White
Energy consumption	238 kwh/ year
Product (WxDxH)	595x560x850 mm
Packaging (WxDxH)	660x615x890 mm
Net / Gross weight	64kg/ 67kg
Loading Capacity	171

### Features



Rpm-1400



LED Display



Fully Automatic



Double Layer Front Door



Multiple Washing Programs



Powerful Motor 200-240/50hz



Energy Efficiency Class- A+++



# WASHING MACHINE

## FLFAMX-12KGR/ FLFAMX-12KWT

### Specifications

Capacity	12.0kg
Color	Grey/ White
Energy consumption	282 kwh/year
Product (WxDxH)	595x625x850 mm
Packaging (WxDxH)	671x691x890 mm
Net / Gross weight	68kg/ 71kg
Loading Capacity	153



### Features



Rpm-1400



LED Display



Fully Automatic



Double Layer Front Door



Multiple Washing Programs



Powerful Motor 200-240/50hz



Energy Efficiency Class- A+++

## TLGRW-8FAM

### Specifications

Capacity	8.0kg
Color	Dark Grey
Control mode	Key-press
Product (WxDxH)	525x565x960 mm
Packaging (WxDxH)	580x625x1005 mm
Net / Gross weight	32kg/ 36kg
Loading Capacity	190



### Features



Rpm-650



LED Display



Fuzzy Control



Tempered-glass With Damper (Soft Close)



Power Memory



Preset Function (24hrs)



Clean Tub Function And Child Lock

## TLGRW-10FAM

### Specifications

Capacity	10.0kg
Color	Dark Grey
Control mode	Key-press
Product (WxDxH)	560x617x958 mm
Packaging (WxDxH)	630x685x1040 mm
Net / Gross weight	34kg/ 38kg
Loading Capacity	114



### Features



Rpm-650



LED Display



Fuzzy Control



Tempered-glass With Damper (Soft Close)



Power Memory



Preset Function (24hrs)



Clean Tub Function And Child Lock



# WASHING MACHINE

## TLGRW-12FAM

### Specifications

Capacity	12.0kg
Color	Dark grey
Control mode	Key-press
Product (WxDxH)	595x645x1025 mm
Packaging (WxDxH)	660x715x1060 mm
Net / Gross weight	42kg/ 48kg
Loading Capacity	108

### Features



Clean Tub  
Function  
& Child Lock



Rpm-650



LED  
Display



Fuzzy  
Control



Tempered-glass  
With Damper  
(Soft Close)



Power  
Memory



Preset Function  
(24hrs)



## TLGRW-16FAM

### Specifications

Capacity	16.0kg
Color	Dark Grey
Control mode	Key-press
Product (WxDxH)	677x702x1050 mm
Packaging (WxDxH)	755x765x1115 mm
Net / Gross weight	50kg/ 56kg
Loading Capacity	90

### Features



Tempered-glass  
With Damper  
(Soft Close)



LED Display



Fuzzy Control



Rpm-650



Power  
Memory



Preset Function  
(24hrs)



Clean Tub Function  
And Child Lock



## TLGRW-18FAM

### Specifications

Capacity	18.0kg
Color	Dark Grey
Control mode	Key-press
Product (WxDxH)	677x702x1065 mm
Packaging (WxDxH)	760x770x1140 mm
Net / Gross weight	53kg/ 60kg
Loading Capacity	90

### Features



Rpm-650



LED Display



Fuzzy Control



Tempered-glass  
With Damper  
(Soft Close)



Power  
Memory



Preset Function  
(24hrs)



Clean Tub Function  
And Child Lock





# WASHING MACHINE

## TLWTU-7SAM

### Specifications

Wash capacity	7.0kg
Spin capacity	4.5kg
Number of knobs	3
Product (WxDxH)	721x408x828 mm
Packaging (WxDxH)	745x440x865 mm
Net / Gross weight	17.5kg/ 20kg
Loading Capacity	238

### Features



Big Capacity



Less Vibration



Energy Saving



Transparent Lid



Powerful Motor



Washer And Dryer



## TLWTU-10SAM

### Specifications

Wash capacity	9.0kg
Spin capacity	5.0kg
Number of knobs	3
Product (WxDxH)	763x450x892 mm
Packaging (WxDxH)	790x465x935 mm
Net / Gross weight	20kg/ 23kg
Loading Capacity	210

### Features



Big Capacity



Less Vibration



Energy Saving



Transparent Lid



Powerful Motor



Washer And Dryer



## TLWTU-13SAM

### Specifications

Wash capacity	12.0kg
Spin capacity	6.5kg
Number of knobs	4
Product (WxDxH)	850x510x993 mm
Packaging (WxDxH)	905x550x1040 mm
Net / Gross weight	26kg/ 30.5kg
Loading Capacity	130

### Features



Big Capacity



Less Vibration



Energy Saving



Transparent Lid



Powerful Motor



Washer And Dryer





# WASHING MACHINE

## TLWTU-15SAM

### Specifications

Wash capacity	15.0kg
Spin capacity	8.0kg
Number of knobs	4
Product (WxDxH)	945x535x1000 mm
Packaging (WxDxH)	1000x580x1030 mm
Net / Gross weight	28.5kg/ 34kg
Loading Capacity	118



### Features



Big Capacity



Less Vibration



Energy Saving



Transparent Lid



Powerful Motor



Washer And Dryer





# WATER DISPENSER

Refresh with ease, SPJ Water Dispenser; instant hydration at your fingertips. Sleek design, purified taste. Quench your thirst effortlessly.





# WATER DISPENSER



## WDBLR-CN003

### Specifications

Type	Top loading
Cooling capacity (temperature)	2.0L/h
Heating capacity (temperature)	5.0L/h
Product (WxDxH)	312x310x960 mm
Packaging (WxDxH)	332x350x1005 mm
Net / Gross weight	11.7kg/ 13.7kg
Loading Capacity	625

### Features



Compressor Cooling



SS 304 Water Tank



Child Lock For Hot Water



Hot/normal/cold Water Option



16 Liter Cabinet



Convenient 3 Taps



Low Noise Design



Antibacterial Material



## WDBLR-RF004

### Specifications

Type	Top loading
Cooling capacity (temperature)	2.0L/h
Heating capacity (temperature)	5.0L/h
Product (WxDxH)	312x310x960 mm
Packaging (WxDxH)	332x350x1005 mm
Net / Gross weight	12.6kg/ 14.6kg
Loading Capacity	625

### Features



Compressor Cooling



SS 304 Water Tank



Child Lock For Hot Water



Hot/normal/cold Water Option



16 Litre Refrigerator



Convenient 3 Taps



Low Noise Design



Antibacterial Material



## WDBX-BL007

### Specifications

Type	Bottom loading
Cooling capacity (temperature)	<10°C
Heating capacity (temperature)	95° C
Product (WxDxH)	330x310x1050 mm
Packaging (WxDxH)	340x330x1100 mm
Net / Gross weight	13kg/ 14kg
Loading Capacity	548

### Features



Compressor Cooling



SS 304 Water Tank



Child Lock For Hot Water



Hot/normal/cold Water Option



Convenient 3 Taps



Low Noise Design



Antibacterial Material



Anti-Electric Shock Protection





# WATER DISPENSER



## WDTX-BLRF008

### Specifications

Type	Top loading
Cooling capacity (temperature)	2L/h
Heating capacity (temperature)	5L/h
Product (WxDxH)	330x320x950 mm
Packaging (WxDxH)	340x330x980 mm
Net / Gross weight	13kg/ 16kg
Loading Capacity	630

### Features



Compressor Cooling



SS 304 Water Tank



Child Lock For Hot Water



Hot/normal/cold Water Option



12.5 litre refrigerator



Convenient 3 Taps



Low Noise Design



Antibacterial Material



Anti-Electric Shock Protection



## WDTX-GRCN009

### Specifications

Type	Top loading
Cooling capacity (temperature)	2.0L/h
Heating capacity (temperature)	5.0L/h
Product (WxDxH)	330x320x950 mm
Packaging (WxDxH)	340x330x980 mm
Net / Gross weight	13kg/ 15kg
Loading Capacity	630

### Features



Compressor Cooling



SS 304 Water Tank



Child Lock For Hot Water



Hot/normal/cold Water Option



Storage Capacity 12.5L



Convenient 3 Taps



Low Noise Design



Antibacterial Material



Anti-Electric Shock Protection





# WATER HEATER

Enjoy instant hot water with an energy-efficient water heater! Perfect for all seasons, it provides reliable performance and ensures comfort at your fingertips. A must-have for a cozy home.





# WATER HEATER

## WHVX-WT30L01

### Specifications

Capacity	30L
Rated Power	2000W
Rated Voltage	220V - 240V/50 - 60 HZ AC
Temperature Range	30-75 degrees
Product Size	340x340x610 mm
Package Size	405x405x645 mm
Net./Gross Weight	9/ 11.5kg
Loading Capacity	642

### Features



Bigger Capacity



Stainless Steel Heating Element



8 Bar Pressure Rating



Temperature Control Knob



Temperature Meter Accurate Detection



Heat Preservation For 24 Hours



Vertical design



## WHVX-WT50L02

### Specifications

Capacity	50L
Rated Power	2000W
Rated Voltage	220V - 240V/50 - 60 HZ AC
Temperature Range	30-75 degrees
Product Size	410x410x640 mm
Package Size	465x465x685 mm
Net./Gross Weight	12.13/ 14.29kg
Loading Capacity	459

### Features



Bigger Capacity



Stainless Steel Heating Element



8 Bar Pressure Rating



Temperature Control Knob




Temperature Meter Accurate Detection



Heat Preservation For 24 Hours



Vertical design



## WHVX-WT80L03

### Specifications

Capacity	80L
Rated Power	2000W
Rated Voltage	220V - 240V/50 - 60 HZ AC
Temperature Range	30-75 degrees
Product Size	410x410x810 mm
Package Size	465x465x855mm
Net./Gross Weight	17.85/ 20.43kg
Loading Capacity	330

### Features



Bigger Capacity



Stainless Steel Heating Element



8 Bar Pressure Rating



Temperature Control Knob



Temperature Meter Accurate Detection



Heat Preservation For 24 Hours



Vertical design





# WATER HEATER

## WHVX-WT100L04

### Specifications

Capacity	100L
Rated Power	2000W
Rated Voltage	220V - 240V/50 - 60 HZ AC
Temperature Range	30-75 degrees
Product Size	410x410x1000 mm
Package Size	465x465x1050 mm
Net./Gross Weight	21/ 23.50kg
Loading Capacity	279

### Features



Bigger Capacity



Stainless Steel Heating Element



8 Bar Pressure Rating



Temperature Control Knob




Temperature Meter Accurate Detection



Heat Preservation For 24 Hours



Vertical design






# SMART LIVING REDEFINED



Experience the future of innovation with SPJ! Our latest animated video brings our brand to life, showcasing cutting-edge technology, sleek designs, and high-performance appliances. At SPJ, we blend style with functionality to enhance your everyday living. From smart TVs to energy-efficient refrigerators, our products are crafted with precision and quality in mind. Join us on a journey where technology meets creativity, making life more convenient and enjoyable. Discover the excellence of SPJ – where quality matters!





#### Terms & Conditions:

1. Images are for illustration purposes only.
2. Due to printing considerations, the actual color may vary slightly from those shown.
3. The SPJ reserves the right to revise any content in this leaflet as it deems fit without prior notice.
4. All information contained in this leaflet is correct at the time of printing, and is subject to change without prior notice.



Follow Us On